


# 12X



**Scan Here**

for Assembly Animation



OPEN YOUR  
CAMERA



AIM IT AT THE  
QR CODE



TAP THE  
BANNER

## READ THESE INSTRUCTIONS CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE THIS BED

# ⚠ WARNING ⚠

To help prevent serious or fatal injuries from entrapment or falls:

- \* Read & follow the information on the WARNING shown on the end structure of the upper bunk or on the carton.
- \* **DO NOT** remove the warning label from the bed.
- \* Keep these instructions for future reference.
- \* Use only a mattress meeting the following specifications on all upper and lower bunks.

Bed Type	Width	Length		Bed Type	Width	Length
Standard Twin	37½"-38½"	74"-75"		XL Twin	37½"-38½"	79"-80"
Standard Full	52½"-53½"	74"-75"		XL Full	52½"-53½"	79"-80"

- \* Total thickness of both mattress and foundation combined **MUST NOT EXCEED 6"** for all top and bottom bunks.
  - \* Surface of mattress must be at least 5 inches (127mm) below the upper edge of guardrails.
  - \* The **MAXIMUM** weight capacity for the upper bunk is not to exceed 225 lbs.
  - \* **DO NOT** allow children under 6 years of age to use upper bunk.
  - \* Periodically check and ensure that the guardrails, ladder, handle and other components are in their proper position, free from damage and that all connectors are tightened and secure.
  - \* **DO NOT** allow horseplay, rough playing or jumping on the beds and do not allow playing or hiding under the beds.
  - \* Always use the ladder for entering or leaving the upper bunk.
  - \* **DO NOT** use substitute parts. Contact the manufacturer or dealer for replacement parts.
  - \* Use of a nightlight may provide added safety precaution for a person using the upper bunk.
  - \* Always use the guardrails on both sides of the upper bunk.
  - \* If the bunk bed will be placed next to a wall, the guardrails that run the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
  - \* The use of water or sleep flotation mattresses is prohibited.
  - \* No more than one person is allowed on the upper bunk at a time.
- STRANGULATION HAZARD:** Never attach or hang objects to any part of the bed that are not designed for use with the bed. Objects such as hangers, hooks, belts, bags, ropes, string, etc. should not be used on or around the bunk bed.


### DO NOT REMOVE THIS LABEL

SLAT KIT, BUNKIE BOARD, or BUNKIE MATTRESS MUST BE USED WITH THIS BUNK BED  
MAXIMUM WEIGHT LIMIT IS 225 LBS.


### REPLACEMENT PARTS

Replacement parts, including additional guardrails, may be obtained from:

Pine Crafter Furniture  
PO Box 1100  
Haleyville, AL 35565  
P: 205.486.2153




120 min
P3




A		48	I		06
B		16			
C		16			
D		16			
E		08			
F		04			
G		12			
H		02			

01




B



10x40


16

02




LOWER HEADBOARD

03



LOWER HEADBOARD

A




BLACK 4,5x20

24

04



WARNING LABEL

MANUFACTURER LABEL




UPPER HEADBOARD

05



UPPER HEADBOARD


A



BLACK 4,5x20



12

06




UPPER HEADBOARD

07



UPPER HEADBOARD

A








BLACK 4,5x20

12

---



08



C		08
D		08
F		04
H		02



Bed wires are not to be used as a foundation.  
 Their purpose is to keep the mattress from  
 falling through bed frame.  
 A separate bunkie board, slat kit, plywood or  
 innerspring mattress must be used for a foundation.



G



GOLD 4.0X22



06



I




SILVER



03




H	 SILVER	02
C	 BLACK 1/4X70	08
D	 SILVER	08
E	 BLACK 7,0X70	08

Bed wires are not to be used as a foundation.  
 Their purpose is to keep the mattress from  
 falling through bed frame.  
 A separate bunkie board, slat kit, plywood or  
 innerspring mattress must be used for a foundation.



G	 GOLD 4,5x20	06
I	 SILVER	03

12



13

