

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	220W	
	RMS Input Power (W) CTA standards	50W	
	Sensitivity (dB at 1m) CTA standards	85dB	
	Frequency Response(Hz) CTA standards	114-25000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	100mm	4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 70xt10
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	25mm	1 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	135 mm	5-5/16 in.
	Width (w/o_Gr)	104 mm	4-1/8 in.
	Height (w_Gr)	135 mm	5-5/16 in.
	Height (w/o_Gr)	104 mm	4-1/8 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	93.2 mm	3-11/16 in.
	Mounting Depth	43.4 mm	1-11/16 in.
Weight	with Grille (pc.)	527g	1.2 lb
	without Grille (pc.)	480 g	1.1 lb
	Weight of Woofer Magnet	160 g	5.6 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	220W	
	RMS Input Power (W) CTA standards	50W	
	Sensitivity (dB at 1m) CTA standards	85dB	
	Frequency Response(Hz) CTA standards	114-25000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	100mm	4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 70xt10
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	25mm	1 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	135 mm	5-5/16 in.
	Width (w/o_Gr)	104 mm	4-1/8 in.
	Height (w_Gr)	135 mm	5-5/16 in.
	Height (w/o_Gr)	104 mm	4-1/8 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	93.2 mm	3-11/16 in.
	Mounting Depth	43.4 mm	1-11/16 in.
Weight	with Grille (pc.)	527g	1.2 lb
	without Grille (pc.)	480 g	1.1 lb
	Weight of Woofer Magnet	160 g	5.6 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	220W	
	RMS Input Power (W) CTA standards	50W	
	Sensitivity (dB at 1m) CTA standards	85dB	
	Frequency Response(Hz) CTA standards	114-25000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	100mm	4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 70xt10
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	25mm	1 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	135 mm	5-5/16 in.
	Width (w/o_Gr)	104 mm	4-1/8 in.
	Height (w_Gr)	135 mm	5-5/16 in.
	Height (w/o_Gr)	104 mm	4-1/8 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	93.2 mm	3-11/16 in.
	Mounting Depth	43.4 mm	1-11/16 in.
Weight	with Grille (pc.)	527g	1.2 lb
	without Grille (pc.)	480 g	1.1 lb
	Weight of Woofer Magnet	160 g	5.6 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	220W	
	RMS Input Power (W) CTA standards	50W	
	Sensitivity (dB at 1m) CTA standards	85dB	
	Frequency Response(Hz) CTA standards	114-25000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	100mm	4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 70xt10
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	25mm	1 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	135 mm	5-5/16 in.
	Width (w/o_Gr)	104 mm	4-1/8 in.
	Height (w_Gr)	135 mm	5-5/16 in.
	Height (w/o_Gr)	104 mm	4-1/8 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	93.2 mm	3-11/16 in.
	Mounting Depth	43.4 mm	1-11/16 in.
Weight	with Grille (pc.)	527g	1.2 lb
	without Grille (pc.)	480 g	1.1 lb
	Weight of Woofer Magnet	160 g	5.6 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	220W	
	RMS Input Power (W) CTA standards	50W	
	Sensitivity (dB at 1m) CTA standards	85dB	
	Frequency Response(Hz) CTA standards	114-25000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	100mm	4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 70xt10
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	25mm	1 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	135 mm	5-5/16 in.
	Width (w/o_Gr)	104 mm	4-1/8 in.
	Height (w_Gr)	135 mm	5-5/16 in.
	Height (w/o_Gr)	104 mm	4-1/8 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	93.2 mm	3-11/16 in.
	Mounting Depth	43.4 mm	1-11/16 in.
Weight	with Grille (pc.)	527g	1.2 lb
	without Grille (pc.)	480 g	1.1 lb
	Weight of Woofer Magnet	160 g	5.6 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	220W	
	RMS Input Power (W) CTA standards	50W	
	Sensitivity (dB at 1m) CTA standards	85dB	
	Frequency Response(Hz) CTA standards	114-25000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	100mm	4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 70xt10
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	25mm	1 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	135 mm	5-5/16 in.
	Width (w/o_Gr)	104 mm	4-1/8 in.
	Height (w_Gr)	135 mm	5-5/16 in.
	Height (w/o_Gr)	104 mm	4-1/8 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	93.2 mm	3-11/16 in.
	Mounting Depth	43.4 mm	1-11/16 in.
Weight	with Grille (pc.)	527g	1.2 lb
	without Grille (pc.)	480 g	1.1 lb
	Weight of Woofer Magnet	160 g	5.6 oz