



HIGH PLAINS 6 3/8

Engineered



9044 Kohl

HIGH PLAINS 6 3/8



	US Units	Metric Units
Style Number	SW712	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	6.37"	161.8 mm
Finish	Repel - Water Resist	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Pillowed	
End Description	Pillowed	
Profile	Tongue And Groove	
Weight per Carton	46 lbs	20.86 kg
SQFT per Carton	30.48 sq ft	2.83 sq m
SQFT per Pallet	1371.6 sq ft	127.42 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
Ortho-Phthalates Free	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
All measurements are nominal.	Cartons may include random lengths.	

Features

Subtle wirebrushing lets the natural beauty of hickory shine through with High Plains 6 3/8 Hardwood from Shaw Floors. Part of the REPEL Collection with Splash-Proof Technology that guards against splashes and spills 2x better than untreated hardwood. It also features superior dent resistance and ScufResist® Platinum finish to guard against scuffs.

Suggested Adhesive

Style Name	Style Number
35MC	HS105

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)

						
SRW38 Flush Reducer	SORW8 *Overlap Reducer	SSW38 Flush Stairnose	SOSW8 *Overlap Stairnose	SCW38 Threshold / Carpet Reducer	TMW78 T-Molding	QTR96 Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.



MADE IN THE USA

shawfloors.com



BUILDER + MULTIFAMILY


HIGH PLAINS 6 3/8



1085 Sumac



2052 Jute



7069 Hide



7070 Nomadic



9044 Kohl