# T36FT814NS
## 36-INCH FREESTANDING FRENCH DOOR REFRIGERATOR
### MASTERPIECE® COLLECTION HANDLES





Also Available In:
T36FT824NS – Professional Collection Handles

## FEATURES & BENEFITS

- Full panel illumination ensures clear visibility, with theater lighting that brightens as doors open
- ★ - Dual Compressors & Evaporators provide built-in performance for precise temperature management and lasting durability
- ★ - ThermaFresh® Pro Drawers let you set optimal temperature and humidity levels, while the integrated ethylene absorber slows ripening, keeping produce fresh longer.
- ★ - All-new Mini Diamond Ice maker produces small ice for rapid, uniform cooling and the UltraClarity® Pro internal water dispenser provides added convenience
- Adjustable shelves that maximize storage capabilities, featuring easy-to-clean door bins—including designated gallon bins for larger items
- Easy-to-clean stainless steel exterior, just wipe with a damp cloth; no special cleaner required
- Wi-Fi enabled refrigeration lets you control temperature remotely, receive open-door alerts via the Home Connect® app, and connect with smart home platforms like Amazon Alexa

| STYLE | |
|---|---|
| Door Style | Stainless Steel Panel |
| Handle Style | Masterpiece® |
| Interior Finish | Illuminated Back Panel |
| Door Configuration | 3-door |
| **INNOVATION** | |
| Wi-Fi-Enabled for Control w/Home Connect® App | Yes |
| Remote Monitoring and Control | Yes |
| Mini Diamond Ice | Yes |
| **PERFORMANCE** | |
| ThermaFresh® Pro | Yes |
| Dual Compressor | Yes |
| Dual Evaporators | Yes |
| Automatic Defrosting | Yes |
| Modes | |
| Eco, Sabbath, Vacation, Demo, SuperCool, SuperFreeze® | |
| Internal Water Dispenser | Yes |
| UltraClarity® Pro Water Filter (6 Months) | Yes |
| Air Fresh Filter | Yes |
| Ethylene Filter (6 Months) | Yes |
| **CAPACITY AND STORAGE** | |
| Total Capacity (cu. ft.) | 20.8 |
| Refrigerator Capacity (cu. ft.) | 14.8 |
| Freezer Capacity (cu. ft.) | 6.1 |
| Tiered Freezer Storage Drawer | 3 Tier |
| ThermaFresh® Pro Temperature & Humidity Managed Drawers | 2 |
| ThermaFresh® Mats | 2 |
| ThermaFresh® Pro Drawer Modes (°F/Humidity) | |
| Meat/Fish (29°F (-2°C)/Low), Fruit (32°F (0°C)/Low), Vegetables (32°F (0°C)/High), Beverages (34°F (1°C)/Low), Snacks/Misc. (40°F (4°C)/Low) | |
| Storage Shelves | 4 Adjustable, 1 Fixed |
| Shelf Material | Glass w/Metal Profile |
| Standard Door Bins | 4 Adjustable |
| Gallon Door Bins | 2 Adjustable |
| **GENERAL FEATURES** | |
| Full 72" Height and True Counter-Depth for Built-In Appearance | Yes |
| Internal Control Panel | Yes |
| Water Tank Capacity (oz) | 30.4 |
| Water Filter Replacement Indicator | Yes |
| Ice Maker with Mini Diamond Ice System | Yes |
| Ice Production (24 Hrs.), Mini Diamond Ice (lbs.) | 3.5 |

★ THERMADOR® EXCLUSIVE

# T36FT814NS
## 36-INCH FREESTANDING FRENCH DOOR REFRIGERATOR
### MASTERPIECE® COLLECTION HANDLES

| GENERAL FEATURES (CONTINUED) | |
|---|---|
| Ice On / Off | Yes |
| Ice Storage Capacity (lbs.) | 8.8 |
| Lighting | |
| LED Recessed Side Light Bars & Fully Illuminated Back Panel | |
| Independent Cooling Systems | 2 |
| Open Door Alarm | Yes |
| Cooling System | Free Flow™ Cold Air |
| Maximum Sound Level | 40 dBA |
| Star-K Certified Sabbath Mode | Yes |
| ENERGY STAR® Certified | Yes |
| Annual Energy Consumption | 570 kWh / yr* |
| **OPERATING TEMPERATURE** | |
| Refrigerator: 33°F (1°C) to 43°F (6°C) | |
| Freezer: -7°F (-22°C) to 6°F (-14°C) | |
| ThermaFresh® Pro Drawers: 29°F (-2°C) to 40°F (4°C) 5 Preset Modes | |
| SuperCool: 36°F (2°C) for 6 Hours | |
| SuperFreeze®: -22°F (-30°C) for 8 Hours | |
| **INSTALLATION FEATURES** | |
| Four Point Front Adjustable with 4 Wheels | Yes |
| Front Serviceable | Yes |
| **TECHNICAL SPECS** | |
| Required Power Supply | 110-127 V, 60 Hz, 10 Amp |
| Plug Type | 120V-3-Prong |
| Power Cord Length (inches) | 67" |
| **DIMENSIONS AND WEIGHT** | |
| Overall Width (Inches) | 35 5/8" |
| Overall Height (Inches) | 72" |
| Overall Depth (Inches) | 31 1/8" |
| Overall Depth Without Hinges and Doors (Inches) | 24" |
| Overall Depth With Hinges and Doors, No Handles (Inches) | 28 3/4" |
| Required Cutout Size (HxWxD) (Inches) | 72" x 36"x 25" |
| Net Weight (Approx.) (lbs.) | 326 |
| Gross Weight (Approx.) (lbs.) | 353 |

| OPTIONAL ACCESSORIES | |
|---|---|
| Replacement Water Filter | REPLFLTR55 |
| Ethylene Filter Refill (Part No.) | 17005225 |
| Ethylene Filter Starter Kit (Part No.) | 17005228 |
| Replacement Carbon Air Filter (Part No.) | 10009874 |
| 90 Degree Door Stopper | 10012733 |
| **WARRANTY** | |
| Limited Warranty, Parts & Labor | 2 Years |
| **SUPPLEMENTAL MATERIAL** | |
| CAD File | Click Here to Download |
| Installation Manual | Click Here to Download |
| Use & Care Guide | Click Here to Download |
| Warranty | Click Here to Download |
| Energy Guide | Click Here to Download |
| Home Connect® Quick Start Guide | Click Here to Download |





*Estimated annual energy consumption. Exact usage may vary.

# T36FT814NS
## 36-INCH FREESTANDING FRENCH DOOR REFRIGERATOR
### MASTERPIECE® COLLECTION HANDLES

### CUTOUT DIMENSIONS

measurements in inches (mm)





Leave ½" (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.

It is recommended that you do not install the refrigerator near a heat source such as a stove or a range.

### TOP VIEW CLEARANCE


Measurements in inches (mm)




Drawers can be pulled out with door open to 90°
Drawers can be taken out with door completely opened

# T36FT814NS
## 36-INCH FREESTANDING FRENCH DOOR REFRIGERATOR
### MASTERPIECE® COLLECTION HANDLES


### PRODUCT DIMENSIONS




*Add 5/8" (17) with front leveling feet fully extended
**Add 1" (25) for fixed spacers on back


measurements in inches (mm)

Measurements in inches (mm)




**A**: Add 5/8" (17) with front leveling feet fully extended

measurements in inches (mm)




## ACCESSORIES (OPTIONAL)



**REPLFLTR55**
Replacement Water Filter



**17005228**
Ethylene Filter Starter Kit



**17005225**
Ethylene Filter Refill



**10012733**
90 Degree Door Stopper



**10009874**
Replacement Carbon Air Filter

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of delivery. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2026 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.