

DOP36M94D

36-INCH PRO DUAL-FUEL STEAM RANGE

MODERNIST COLLECTION



AVAILABLE MODELS

- DOP36M94DLS - Stainless Steel, Natural Gas
- DOP36M94DPS - Stainless Steel, Liquid Propane
- DOP36M94DHS - Stainless Steel, Natural Gas/High Altitude
- DOP36M94DAS - Stainless Steel, Liquid Propane/High Altitude
- DOP36M94DLM - Graphite Stainless Steel, Natural Gas
- DOP36M94DPM - Graphite Stainless Steel, Liquid Propane
- DOP36M94DHM - Graphite Stainless Steel, Natural Gas/High Altitude
- DOP36M94DAM - Graphite Stainless Steel, Liquid Propane/High Altitude

FEATURES & BENEFITS

- Exclusive Four-Part Dual Pure Convection - heat, air, baffle, and filter to precisely distribute heat for superior cooking results.
- Steam Assist and Convection Oven - the power of steam and convection cooking in one.
- Large oven capacity - 4.8 cu. ft.
- 4 Dual-Stack Sealed Burners + Electric Griddle.
- Powerful 22K BTU and true simmer burners.
- Illumina™ Knobs and Ambient Light.
- 7" LCD Control Panel
- Dacor iQ Kitchen app with integrated Wif-Fi to control and monitor remotely.
- Auto connect to hood.

ACCESSORIES (INCLUDED)

| | |
|-------------------|-----|
| GlideRack™ | 2 |
| Standard Rack | 1 |
| Temperature Probe | 1 |
| Wok Ring | 1 |
| Convection Filter | 2 |
| Brass Burner Caps | Yes |
| Black Burner Caps | Yes |

ACCESSORIES (OPTIONAL)

| | |
|--------------------------|---------|
| Cookie Sheets (Set of 3) | ACSM303 |
|--------------------------|---------|

GENERAL PROPERTIES

| | |
|---|-----|
| Oven Capacity (cubic feet) | 4.8 |
| Cooking Modes - Bake - Broil - Convection Bake - Convection Roast - Convection Broil - Four Part Pure Convection - Pure Convection Sear - Steam Assist | |

OVEN PERFORMANCE

| | |
|--------------------|------------------|
| Bake Element | 3,000W - 8 pass |
| Broil Element | 4,400W - 10 pass |
| Convection Element | 1,300W |
| Steam Heater | 500W |

BURNER PERFORMANCE

| | |
|---------------------------------|---------------------------|
| Total Number of Cooktop Burners | 4 + Griddle |
| Right Front (BTU) | 22,000 Dual (Simmer) |
| Right Rear (BTU) | 9,000 Stack Dual (Simmer) |
| Left Front (BTU) | 18,000 Dual (Simmer) |
| Left Rear (BTU) | 16,000 Dual (Simmer) |
| Power of Griddle | 1,400 W |
| Sealed Burners | Yes |
| Perma-Flame™ (Auto Re-Ignition) | Yes |

CONTROL FEATURES

| | |
|-----------------------------|------------------|
| InfoCenter™ Display | Yes |
| Number of Knobs | 5 + 1 Lamp Knobs |
| Control Method | 7" Pop-Up LCD |
| Wi Fi | Yes |
| Bluetooth (Hood Connection) | Yes |
| Illumina™ Burner Knobs | Yes / White |
| Highlighting Color | White |
| Ambient Lighting | Yes (Dimming) |
| Clock | Yes |
| Delay Start | Yes |
| Kitchen Timer | Yes |
| Time of Day (12 Hr/24 Hr) | Yes |
| Temperature (F / C) | Yes |
| Child Lock | Yes |
| Sound On/Off | Yes |
| Manual Lighting On/Off | Yes |

ADDITIONAL FEATURES

| | |
|-----------------|-------------------------------|
| Cleaning Type | Self Clean GreenClean™ |
| Type of Grate | Continuous Cast Iron |
| Cavity | Black Enamel Coating |
| Rack Positions | 6 |
| Convection Type | Dual |
| Lighting | BrightVue™ - LED + Halogen |

DOP36M94D
36-INCH PRO DUAL-FUEL STEAM RANGE
 MODERNIST COLLECTION




| ADDITIONAL MODES | |
|--|--|
| Keep Warm | Yes |
| Low Proof | Yes |
| Proof | Yes |
| Stone Mode | Yes |
| Dehydrate | Yes |
| Gourmet Cook | Yes |
| Sabbath | Yes |
| OPTIONAL MDOES | |
| Temperature Probe | Yes |
| InstantHeat (No PreHeat) | Yes with Convection Roast / Convection Bake |
| TECHNICAL DETAILS | |
| Circuit Breaker (A) | 50 |
| Volts (V) | 240 / 208 |
| Frequency (Hz) | 60 |
| Energy Source | Gas and Electric |
| Gas Type | Natural Gas Natural Gas (High Altitude) Liquid Propane Liquid Propane (High Altitude) |
| DIMENSIONS & WEIGHT | |
| Appliance Dimensions (H x W x D) (in.) | 36 1/8" x 35 7/8" x 24" |
| Required Cutout Size (W x D) (in.) | 36" x 24" |
| WARRANTY | |
| Limited, Parts and Labor | 1 Year |

DOP36M94D
36-INCH PRO DUAL-FUEL STEAM RANGE
 MODERNIST COLLECTION




APPLIANCE DIMENSIONS

Product tolerances: $\pm 1/16"$ ($\pm 1.6\text{mm}$)




| | 36" |
|------------|-------------------|
| A (Width) | 35 7/8" (121.6cm) |
| B (Depth) | 24" (60.9cm) |
| C (Height) | 36 1/8" (91.8cm) |

INSTALLATION CUTOUT DIMENSIONS



| | 36" |
|-----------|-------------------------------|
| A (Width) | 36" (91.4cm) 42" (106.7cm) |
| B (Width) | 36" (91.4cm) |



View of Range Installed
 (Side View)