CARPET

NATURE'S MARK

Broadloom





NATURE'S MARK

Style Number 5E576 Product Type Broadloom Collection Simply The Best Description Pattern Lcl Fiber 100% SD PET POLYESTER Dye Method Predyed Primary Backing Polypropylene Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75 Warranty Shaw 15 Year Warranty		US Units	Metric Units
Collection Simply The Best Description Pattern Lcl Fiber 100% SD PET POLYESTER Dye Method Predyed Primary Backing Polypropylene Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Style Number	5E576	
Description Pattern Lcl Fiber 100% SD PET POLYESTER Dye Method Predyed Primary Backing Polypropylene Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Product Type	Broadloom	
Fiber 100% SD PET POLYESTER Dye Method Predyed Primary Backing Polypropylene Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Collection	Simply The Best	
Dye Method Predyed Primary Backing Polypropylene Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Description	Pattern Lcl	
Primary Backing Polypropylene Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Fiber	100% SD PET POLYESTER	
Secondary Backing Classicbac Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Dye Method	Predyed	
Product Size 12 ft 3.66 m Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Primary Backing	Polypropylene	
Face Weight 34.1 oz/yd² 1156.2 g/m² Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Secondary Backing	Classicbac	
Finished Pile Thickness 0.42 in 10.67 mm Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Product Size	12 ft	3.66 m
Gauge 1/8 in 31.5 per 10 cm Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Face Weight	34.1 oz/yd ²	1156.2 g/m ²
Tufts 10.7 per in 42 per 10 cm Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Finished Pile Thickness	0.42 in	10.67 mm
Density 2923 oz/yd³ 0.108 g/cm³ Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Gauge	1/8 in	31.5 per 10 cm
Twist Information 0 Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Tufts	10.7 per in	42 per 10 cm
Number of Colors 12 Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Density	2923 oz/yd³	0.108 g/cm³
Pattern Repeat 0.25 in W x Random L 0.64 cm W x Random L Pill Test Pass Durability Rating 3.75	Twist Information	0	
Pill Test Pass Durability Rating 3.75	Number of Colors	12	
Durability Rating 3.75	Pattern Repeat	0.25 in W x Random L	0.64 cm W x Random L
	Pill Test	Pass	
Warranty Shaw 15 Year Warranty	Durability Rating	3.75	
That is real training	Warranty	Shaw 15 Year Warranty	
Environmental CRI Certification (GLP9970)	Environmental	CRI Certification (GLP9970)	

Colors



NATURE'S MARK





