

Specifications

2 models	139 cm (55") XR-55A75L	164 cm (65") XR-65A75L
Summary		
WHAT'S IN THE BOX	AC Power Cord Batteries Operating Instructions Quick Setup Guide Table Top Stand Voice Remote Control	AC Power Cord Batteries Operating Instructions Quick Setup Guide Table Top Stand Voice Remote Control
Model year		
MODEL YEAR	2023	2023
Dimensions and Weight		
SCREEN SIZE (INCH, MEASURED DIAGONALLY)	55 in (54.6 in)	65 in (64.5 in)
SCREEN SIZE (CM, MEASURED DIAGONALLY)	139 cm	164 cm
DIMENSION OF TV WITHOUT STAND (W X H X D)	48.38 x 28.13 x 2.13 in (1,227 x 712 x 53 mm)	57.13 x 33 x 2.13 in (1,448 x 836 x 53 mm)
DIMENSION OF TV WITH STAND (STANDARD POSITION) (W X H X D)	48.38 x 31 x 13.38 in (1,227 x 785 x 338 mm)	57.13 x 35.88 x 13.38 in (1,448 x 910 x 338 mm)
DIMENSION OF PACKAGE CARTON (W X H X D)	52.88 x 33.25 x 7 in (1,342 x 842 x 176 mm)	64.09 x 37.99 x 7.09 in (1,628 x 965 x 180 mm)
STAND WIDTH (STANDARD POSITION)	41.5 in (1,052 mm)	41.5 in (1,052 mm)
VESA® HOLE PITCH(W X H)	11.81 x 11.81 inch (300 x 300 mm)	11.81 x 11.81 inch (300 x 300 mm)
WEIGHT OF TV WITHOUT STAND	17.8 kg (39.3 lb)	50 lb 7.8 oz (22.9 kg)
WEIGHT OF TV WITH STAND	42.1 lb (19.1 kg)	53.4 lb (24.2 kg)
WEIGHT OF PACKAGE CARTON (GROSS)	25 kg (55.1 lb)	33 kg (72.7 lb)
Connectivity		
WI-FI STANDARD	Wi-Fi Certified 802.11a/b/g/n/ac	Wi-Fi Certified 802.11a/b/g/n/ac
WI-FI FREQUENCY	2.4 GHz/5 GHz (for Wi-Fi Direct: 2.4 GHz Only)	2.4 GHz/5 GHz (for Wi-Fi Direct: 2.4 GHz)
ETHERNET INPUTS	1 (Side)	1 (Side)
BLUETOOTH PROFILE SUPPORT	Version 4.2, HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP (Serial Port Profile)/Advanced Audio Distribution Profile (stereo audio) ² /AVRCP (AV remote control)	Version 4.2, HID (mouse/keyboard conn Energy device connectivity)/SPP (Serial I Profile)/Advanced Audio Distribution Pr /AVRCP (AV remote control)
CHROMECAST BUILT-IN	Yes	Yes
APPLE AIRPLAY	Yes	Yes

2 models	139 cm (55") XR-55A75L	164 cm (65") XR-65A75L
APPLE HOMEKIT	Yes	Yes
RF (TERRESTRIAL/CABLE) CONNECTION INPUT(S)	1 (Side)	1 (Side)
IF (SATELLITE) INPUT(S)	No	No
COMPONENT VIDEO (Y/PB/PR) INPUT(S)	No	No
COMPOSITE VIDEO INPUT(S)	Hybrid with S-Centre Speaker Input x1 (Side, Mini jack)	Hybrid with S-Centre Speaker Input x1 (S
RS-232C INPUT(S)	1 (Side)	1 (Side)
HDMI INPUTS TOTAL	4 (4 side)	4 (4 side)
HDCP	HDCP 2.3 (for HDMI™ 1/2/3/4)	HDCP 2.3 (for HDMI™ 1/2/3/4)
BRAVIA SYNC (INCLUDING HDMI-CEC)	Yes	Yes
FEATURES SPECIFIED IN HDMI2.1	4K120/eARC/VRR/ALLM	4K120/eARC/VRR/ALLM
HDMI AUDIO RETURN CHANNEL (ARC)	Yes (eARC/ARC)	Yes (eARC/ARC)
VARIABLE REFRESH RATE (VRR)	Yes (for HDMI™ 3/4)	Yes (for HDMI™ 3/4)
AUTO LOW LATENCY MODE (ALLM)	Yes (for HDMI™ 3/4)	Yes (for HDMI™ 3/4)
DIGITAL AUDIO OUTPUT(S)	1 (Side)	1 (Side)
HEADPHONE OUTPUT(S)	-	-
AUDIO OUTPUT(S)	-	-
SUBWOOFER OUTPUT(S)	-	-
USB PORTS	2 (Side)	2 (Side)
USB HDD RECORDING	No	No
USB DRIVE FORMAT SUPPORT	FAT16/FAT32/exFAT/NTFS	FAT16/FAT32/exFAT/NTFS
USB PLAYBACK CODECS	MPEG1: MPEG1/MPEG2PS: MPEG2/MPEG2TS (HDV, AVCHD): MPEG2, AVC/MP4 (XAVC S): AVC, MPEG4, HEVC/AVI: Xvid, MotionJpeg/ASF (WMV): VC1/MOV: AVC, MPEG4, MotionJpeg/MKV: Xvid, AVC, MPEG4, VP8.HEVC/WEBM: VP8/3GPP: MPEG4, AVC/MP3/ASF (WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG, WEBM: VP9/AC4/ogg/AAC/ARW (Screen nail only)	MPEG1: MPEG1/MPEG2PS: MPEG2/MPEG2TS (HDV, AVCHD): MPEG2, AVC/MP4 (XAVC S): AVC, MPEG4, HEVC/AVI: Xvid, MotionJpeg/ASF (WMV): VC1/MOV: AVC, MPEG4, MotionJpeg/MKV: Xvid, AVC, MPEG4, VP8.HEVC/WEBM: VP8/3GPP: MPEG4, AVC/MP3/ASF (WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG, WEBM: VP9/AC4/ogg/AAC/ARW (Screen nail or
Picture (Panel)		
DISPLAY TYPE	OLED	OLED
BACKLIGHT TYPE	-	-
BACKLIGHT DIMMING TYPE	-	-

2 models	139 cm (55") XR-55A75L	164 cm (65") XR-65A75L
DISPLAY RESOLUTION (H X V, PIXELS)	3840 x 2160	3840 x 2160
PANEL REFRESH RATE	120 Hz	120 Hz
VIEWING ANGLE (X-WIDE ANGLE)	-	-
ANTI REFLECTION (X-ANTI REFLECTION)	-	-
Picture (processing)		
PICTURE PROCESSOR	Cognitive Processor XR	Cognitive Processor XR
CONTRAST ENHANCEMENT	XR OLED Contrast Pro, XR HDR remaster, Dynamic Contrast Enhancer, Pixel Contrast Booster	XR OLED Contrast Pro, XR HDR remaster, Enhancer, Pixel Contrast Booster
COLOUR ENHANCEMENT	XR TRILUMINOS PRO™, XR Smoothing, Live Colour™ Technology	XR TRILUMINOS PRO™, XR Smoothing, L Technology
CLARITY ENHANCEMENT	XR 4K Upscaling, Dual database processing, XR Super Resolution	XR 4K Upscaling, Dual database process Resolution
MOTION ENHANCER (NATIVE HZ)	XR OLED Motion, Auto mode	XR OLED Motion, Auto mode
HDR (HIGH DYNAMIC RANGE) COMPATIBILITY	Yes (HDR10, HLG, Dolby Vision)	Yes (HDR10, HLG, Dolby Vision)
VIDEO SIGNAL SUPPORT	HDMI™ signal: 4096 x 2160p (24, 60 Hz), 3840 x 2160p (24, 30, 60, 120 Hz) ³ , 1080p (24, 30, 60, 120 Hz), 1080i (60 Hz), 720p (24, 30, 60 Hz), 480p	HDMI™ signal: 4096 x 2160p (24, 60 Hz) 30, 60, 120 Hz) ³ , 1080p (24, 30, 60, 120 Hz), 720p (24, 30, 60 Hz), 480p
PICTURE MODES	Vivid, Standard, Cinema, IMAX Enhanced, Game, Graphics, Photo, Custom, Dolby Vision (Vivid/Bright/Dark), Netflix calibrated, BRAVIA CORE calibrated	Vivid, Standard, Cinema, IMAX Enhanced, Photo, Custom, Dolby Vision (Vivid/Brig calibrated, BRAVIA CORE calibrated
SENSOR	Light	Light
XR CLEAR IMAGE	Yes	Yes
NETFLIX CALIBRATED MODE	Yes	Yes
BRAVIA CORE CALIBRATED MODE	Yes	Yes
Sound (Speakers and Amplifier)		
AUDIO POWER OUTPUT	10 W + 10 W + 10 W + 10 W	10 W + 10 W + 10 W + 10 W
SPEAKER TYPE	Acoustic Surface Audio	Acoustic Surface Audio
SPEAKER CONFIGURATION	Full Range (Bass Reflex) x 2, Actuator x 2	Full Range (Bass Reflex) x 2, Actuator x 2
Sound (Processing)		
DOLBY AUDIO FORMAT SUPPORT	Dolby™ Audio, Dolby™ Atmos	Dolby™ Audio, Dolby™ Atmos
DTS AUDIO FORMAT SUPPORT	DTS Digital Surround	DTS Digital Surround
ACOUSTIC AUTO CALIBRATION	Room And User Position Compensation	Room And User Position Compensation

2 models	139 cm (55") XR-55A75L	164 cm (65") XR-65A75L
VOICE ZOOM	Voice Zoom 2	Voice Zoom 2
FM RADIO	No	No
SOUND PROCESSING	No	No
SIMULATED SURROUND SOUND	3D Surround Upscaling	3D Surround Upscaling
SOUND MODES	Standard, Dialogue, Cinema, Music, Sports, Dolby Audio	Standard, Dialogue, Cinema, Music, Spo
ACOUSTIC CENTRE SYNC	Yes (Sony-compatible Soundbar)	Yes (Sony-compatible Soundbar)
READY FOR 360 SPATIAL SOUND PERSONALIZER	Yes (with WLA-NS7)	Yes (with WLA-NS7)
Camera		
CAMERA	BRAVIA CAM ⁴ (Option)	BRAVIA CAM ⁴ (Option)
CAMERA FUNCTION	Yes ⁴ (Camera apps)	Yes ⁴ (Camera apps)
Software		
OPERATING SYSTEM	Android TV™	Android TV™
SMART TV	Google TV™	Google TV™
ON-BOARD STORAGE (GB)	32 GB ⁵	32 GB ⁵
DISPLAY LANGUAGE	AFRIKAANS, AMH, ARABIC, ASSAMESE, AZE, BEL, BULGARIAN, BENGALI, BOSNIAN, CATALAN, CZECH, DANISH, DEU, GREEK, ENGLISH, SPANISH, ESTONIAN, BAQ, PER, FINNISH, FRENCH, GLG, GUJARATI, HINDI, CROATIAN, HUNGARIAN, INDONESIAN, ISL, ITALIAN, HEBREW, JAPANESE, KAZAKH, KANNADA, KOR, KIR, LAO, LITHUANIAN, LATVIAN, MACEDONIAN, MALAYALAM, MON, MARATHI, MAY, BUR, NOB, NEP, NLD, ORIYA, PANJABI, POLISH, PORTUGUESE, ROMANIAN, RUSSIAN, SOL, SLOVENIAN, ALB, SERBIAN, SWEDISH, SWAHILI, TAMIL, TELUGU, THAI, TGL, TURKISH, UKRAINIAN, URD, UZB, VIETNAMESE, SIMPLIFIED CHINESE, TRADITIONAL CHINESE, ZULU	AFRIKAANS, AMH, ARABIC, ASSAMESE, / BENGALI, BOSNIAN, CATALAN, CZECH, D ENGLISH, SPANISH, ESTONIAN, BAQ, PER GLG, GUJARATI, HINDI, CROATIAN, HUNC KIR, LAO, LITHUANIAN, LATVIAN, MACED MON, MARATHI, MAY, BUR, NOB, NEP, NI POLISH, PORTUGUESE, ROMANIAN, RUS: SLOVENIAN, ALB, SERBIAN, SWEDISH, SV TELUGU, THAI, TGL, TURKISH, UKRAINIAI VIETNAMESE, SIMPLIFIED CHINESE, TRAE ZULU
TEXT INPUT LANGUAGE	ENGLISH / FRENCH / GERMAN / HEBREW / ITALIAN / RUSSIAN / SPANISH / VIETNAMESE / JAPANESE	ENGLISH / FRENCH / GERMAN / HEBREV / SPANISH / VIETNAMESE / JAPANESE
ECO DASHBOARD	Yes	Yes
VOICE SEARCH	Yes	Yes
BUILT-IN MIC SWITCH	-	-
ELECTRONIC PROGRAM GUIDE (EPG)	Yes	Yes
CONTROL MENU	Yes	Yes
INTERNET BROWSER	-	-
APPLICATION STORE	Yes (Google Play Store)	Yes (Google Play Store)

2 models	139 cm (55") XR-55A75L	164 cm (65") XR-65A75L
ON/OFF TIMER	Yes	Yes
SLEEP TIMER	Yes	Yes
TELETEXT	No	No
AUTO CALIBRATION WITH CALMAN®	Yes	Yes
CLOSED CAPTIONS (ANALOG/DIGITAL)	(Analog) Closed Caption, (Digital) Closed Caption	(Analog) Closed Caption, (Digital) Closec
Features for PlayStation®5		
AUTO HDR TONE MAPPING	Yes	Yes
AUTO GENRE PICTURE MODE	Yes	Yes
Power and Energy saving		
SCREEN SIZE (CM, MEASURED DIAGONALLY)	139 cm	164 cm
SCREEN SIZE (INCH, MEASURED DIAGONALLY)	55 in (54.6 in)	65 in (64.5 in)
POWER CONSUMPTION (IN STANDBY)	0.5 W	0.5 W
PRESENCE OF LEAD	-	-
MERCURY CONTENT(MG)	0.0 mg	0.0 mg
POWER CONSUMPTION (ON MODE) FOR ENERGY STAR	-	-
POWER CONSUMPTION (STANDBY MODE) FOR ENERGY STAR	-	-
ENERGY STAR® COMPLIANT	-	-
POWER REQUIREMENTS (VOLTAGE/FREQUENCY)	60 Hz for UL cUL 50/60 Hz for other, AC 120 V for UL cUL AC 110-240 V for other	60 Hz for UL cUL 50/60 Hz for other, AC 110-240 V for other
POWER SAVING MODE / BACK LIGHT OFF MODE	Yes	Yes
DYNAMIC BACKLIGHT CONTROL	-	-
ECO FRIENDLY	Yes	Yes
Design		
BEZEL DESIGN	Metal flush surface	Metal flush surface
BEZEL COLOUR	Titanium Black	Titanium Black
STAND DESIGN	Slim Blade Stand	Slim Blade Stand
STAND COLOUR	Titanium Black	Titanium Black
STAND POSITION	-	-
REMOTE CONTROL	Standard Remote	Standard Remote

2 models	139 cm (55") XR-55A75L	164 cm (65") XR-65A75L
Built-in Tuner		
NUMBER OF TUNERS (TERRESTRIAL/CABLE)	1 (Digital/Analog)	1 (Digital/Analog)
NUMBER OF TUNERS (SAT)	-	-
TV SYSTEM (ANALOG)	M	M
TUNER CHANNEL COVERAGE (ANALOG)	VHF: 2-13/UHF: 14-69/CATV: 1-135	VHF: 2-13/UHF: 14-69/CATV: 1-135
TV SYSTEM (DIGITAL TERRESTRIAL)	ATSC/ATSC3.0 (NEXTGEN TV) depending on your country/area selection	ATSC/ATSC3.0 (NEXTGEN TV) depending on selection
TUNER CHANNEL COVERAGE (DIGITAL TERRESTRIAL)	VHF: 2-13/UHF: 14-69 (2-13/14-36 for ATSC3.0)	VHF: 2-13/UHF: 14-69 (2-13/14-36 for ATSC3.0)
TV SYSTEM (DIGITAL CABLE)	Clear QAM	Clear QAM
TUNER CHANNEL COVERAGE (DIGITAL CABLE)	CATV: 1-135	CATV: 1-135
TV SYSTEM (DIGITAL SAT)	-	-
CI+	-	-
Accessibility		
SCREEN READER	Yes	Yes
AUDIO DESCRIPTION (AUDIO KEY)	Yes	Yes
CLOSED CAPTION	Closed Caption	Closed Caption
TEXT MAGNIFICATION	Yes	Yes
ACCESSIBILITY SHORTCUT	Yes	Yes
VOICE SEARCH	Yes ⁶	Yes ⁶
Accessories		
OPTIONAL ACCESSORIES	Camera Unit (CMU-BC1) ⁴ ; Wallmount Bracket (SU-WL855) Depends on country selection	Camera Unit (CMU-BC1) ⁴ ; Wallmount Bracket (SU-WL855) Depends on country selection

Standard View >

1

Price may not include "Provincial Environmental Handling Fee (EHF)". For more details see <https://www.recyclemyelectronics.ca/>.

2

An HDMI connection is required for sound bars without A2DP wireless audio support

3

120 Hz is supported by HDMI IN 3 and IN 4

4

BRAVIA CAM CMU-BC1 is sold separately, product availability varies by country and region.

5

Actual storage will differ due to software installation.

6

Hands-free feature (built-in mic) availability depends on language and may require software update. Please check Sony support page for further information;
<https://www.sony.net/tv-hf-ww/>

- * ©2020 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, EXTRA BASS, BRAVIA, and BRAVIA CORE and its logos are trademarks of Sony Corporation. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice.
- * The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Sony Group Corporation and its subsidiaries is under licence.