Specs & Details

<u>Dimensions: 67.125 H x 27 W x 27 D</u>

APPEARANCE

<u>APPEARANCE</u>		
Color Appearance	Gray	
Installation	Free-Standing	
CAPACITY		
Unit Capacity	65 Gallons	
ECONOMICAL / QUIET		
Operating Sound Level	41 dBA	
<u>FEATURES</u>		
Anode Rod	Sensing Magnesium	
Connected Capabilities	Amazon Alexa Google Home	
Control Type	Electronic LED Service Diagnostics Integrated	

Demand Response Capable	Yes
Diagnostic Feedback	Filter, Lock, Standard Electric
<u>Drain Valve</u>	<u>Left Side</u>
Drain Valve Type	<u>Brass</u>
Electronic, Integrated Mixing Valve	Yes
Fuel Type	<u>Electric</u>
Operating Modes	Hybrid (Default Mode) Heat Pump High Demand/Boost Standard Electric
Power Cord Length	6' 3-prong
Product Type	<u>Electric</u>
Renewable Air Filter	Top of Unit
Sensor	Leak Sensor Included (SPLK10N01A)

Temp & Pressure Relief Valve	Right Side	
Temperature Setting	100-140° F Range	
Temperature Setting Factory Default	<u>120° F</u>	
Water Connection Location	Тор	
WiFi Connect	<u>Built-In</u>	
POWER / RATINGS		
Electrical Circuit Required	120/110VAC 15A, 60HZ or 240/208VAC 25A, 60Hz	
Electrical Consumption - Lower Element	3600W at 240VAC 900W at 120VAC	
Electrical Consumption - Upper	3600W at 240VAC	

WARRANTY

Operating Water Pressure

Element

Labor Warranty	Limited 1-year entire appliance

900W at 120VAC

20-125 PSI (30-80 PSI recommended)

Parts Warranty	Limited 10-year tank and parts	
WEIGHTS & DIMENSIONS		
Approximate Shipping Weight	293 lb	
Connection Sizes - Hot Water Outlet (MNPT)	3/4"	
Connection Sizes - Water Inlet (MNPT)	3/4"	
Net Weight	269 lb	
Overall Depth	<u>27 in</u>	
Overall Height	67.125 in	
Overall Width	27 in	
Product Diameter	27 in	
Product Height (to top of unit)	65.25 in	

Product Height (to top of water
inlet/outlet connections)

67 1/8 in