

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC



- *Universal dimming - reverse phase and forward phase - with auto load detection*
- *Supports remote dimmers and switches*
- *Single-gang U.S. wall box installation*
- *Gangable up to three across using compatible multigang decorator faceplates*
- *Robust infiNET EX® wireless communications*
- *Preinstalled large rocker button*
- *Configurable with up to four field-replaceable buttons*
- *Custom laser-etched engravable buttons (sold separately)*
- *Screw clamp connectors for easier & improved installation*
- *LED Bargraph for load status feedback*
- *Crestron Home™ OS 3 compatible*

The CLW-DIMUEX-P is a Cameo® in-wall universal phase dimmer that controls the following load types: LED, incandescent, magnetic low voltage, and electronic low voltage. Its design matches the entire line of Cameo products, making it a great addition to new or retrofit installations.

### Universal Phase Dimming

The CLW-DIMUEX-P features auto-load detection to automatically select the appropriate dimming method for the attached load. Auto-load detection allows for broad load type compatibility even if future changes to the load are made.

### Integrated Keypad

Supporting up to four buttons, the CLW-DIMUEX-P is configurable for a variety of applications. Because the dimmer is attached to the Crestron® control network, it can function as a keypad to trigger remote actions.

### Remote Dimmer

The CLW-DIMUEX-P supports dimming control of the same lights from more than one location. The CLW-SLVU-P remote dimmer connects to the traveler wire in a traditional three- or four-way circuit and dims the load attached to the CLW-DIMUEX-P.

### Multigang Expansion

Devices may be installed side-by-side in a multigang electrical box with a compatible decorator faceplate (sold separately).

**NOTE:** Derating is required for multigang installations. Refer to the CLW-DIMUEX-P Quick Start at [crestron.com/manuals](http://crestron.com/manuals) (Doc. 8482) for derating information.

### infiNET EX Communications

infiNET EX wireless technology provides two-way RF communications throughout a residential or commercial structure without the need for physical control wiring. Each infiNET EX device acts as an expander by sending command signals to other infiNET EX devices in range (approximately 150 ft (46 m) indoors) to ensure reliability and stability.<sup>1</sup>

The CLW-DIMUEX communicates with a Crestron control system via an infiNET EX Wireless Gateway (CEN-GWEXER or CEN-GWEXER-PWE, both sold separately). Up to 100 infiNET EX devices may coexist on a single wireless network.

### Field-Replaceable Button Caps

The preinstalled rocker button cap (CLW-BTN-RKR) on the CLW-DIMUEX-P is field-replaceable with the included small (CLW-BTN-SM) and large (CLW-BTN-LG) button caps, allowing for engravable multi-button configurations.

### Streamlined Installation

In addition to field-replaceable buttons, the CLW-DIMUEX-P features screwclamp connectors for simplified wiring that reduces installation time and material costs. The CLW-DIMUEX-P can be installed in standard gang boxes, making them the perfect choice for both new and retrofit projects.

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

### Specifications

#### Load Requirements

<b>Load Type</b>	LED, Incandescent, Electronic Low Voltage, or Magnetic Low Voltage
<b>Load Rating</b>	600 W; No minimum load

#### Power Requirements

120 VAC, 50/60 Hz;  
Requires neutral wire connection

#### Controls

<b>Pushbutton</b>	(1) rocker button (CLW-BTN-RKR) preinstalled; Configurable with combinations of CLW-BTN-LG and CLW-BTN-SM in blank or engraved models
<b>Airgap</b>	(1) switch below buttons; Controls power to the front of the device and connected loads
<b>Program</b>	(1) pushbutton on right side of airgap switch; Accessible when airgap is closed; Used when changing the button assembly and setting preset levels
<b>Dimming Ramp Rate</b>	3 seconds (default), software adjustable
<b>Preset Fade Time</b>	1 second (default), software adjustable

#### LED Indicator

<b>Feedback</b>	(7) White LEDs
<b>Bargraph</b>	(1) 7 segment bargraph display utilizing the 7 feedback LEDs

#### Wireless

<b>RF Transceiver</b>	infiNET EX 2-way RF, 2.4 GHz ISM Channels 11-26 (2400 to 2483.5 MHz), default channel 15; IEEE 802.15.4 compliant
<b>Range (typical)</b>	150 ft (46 m) indoor, 250 ft (76 m) outdoor to nearest mesh network device(s); Subject to site-specific conditions and individual device capabilities <sup>1</sup>
<b>Gateway</b>	Requires an infiNET EX gateway (sold separately)

#### Connections

<b>Load</b>	(1) 14-12 AWG, screw terminal; Red, load output
<b>Line</b>	(1) 14-12 AWG, screw terminal; Brass, line power input
<b>Neutral</b>	(1) 14-12 AWG, screw terminal; Silver, neutral
<b>Remote</b>	(1) 14-12 AWG, screw terminal; Blue, remote
<b>Ground</b>	(1) 14-12 AWG Class 1 flying lead; Green, ground

#### Environmental

<b>Temperature</b>	32° to 95° F (0° to 35° C)
<b>Humidity</b>	10% to 90% RH (noncondensing)

#### Enclosure

<b>Mounting</b>	Mounts in a 1-gang U.S. electrical box or plaster ring (not included); 3.5 in. (26 mm) electrical box depth recommended; Gangable up to three units
<b>Faceplate</b>	Requires a decorator style faceplate (not included)

#### Dimensions

<b>Height</b>	4.13 in. (105 mm)
<b>Width</b>	1.75 in. (45 mm)
<b>Depth</b>	1.75 in. (45 mm)

#### Weight

5 oz (142 g)

#### Compliance

FCC, IC, UL

#### Models

##### CLW-DIMUEX-P-A-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Almond, Smooth

##### CLW-DIMUEX-P-A-T

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Almond, Textured

##### CLW-DIMUEX-P-B-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Black, Smooth

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

### CLW-DIMUEX-P-B-T

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Black, Textured

### CLW-DIMUEX-P-BRN-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Brown, Smooth

### CLW-DIMUEX-P-DA-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Dark Almond, Smooth

### CLW-DIMUEX-P-DSK-T

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Dusk, Textured

### CLW-DIMUEX-P-GRY-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Gray, Smooth

### CLW-DIMUEX-P-IVR-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Ivory, Smooth

### CLW-DIMUEX-P-LAT-T

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, Latte, Textured

### CLW-DIMUEX-P-W-S

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, White, Smooth

### CLW-DIMUEX-P-W-T

Cameo® In-Wall Universal Phase Dimmer, 120 VAC, White, Textured

## Included Accessories

### CLW-BTN-RKR-A-S\_BLANK

Rocker Engravable Button Cap, Almond Smooth, Engraving not included

### CLW-BTN-RKR-A-T\_BLANK

Rocker Engravable Button Cap, Almond Textured, Engraving not included

### CLW-BTN-LG-A-S\_BLANK

Large Engravable Button Cap, Almond Smooth, Engraving not included

### CLW-BTN-LG-A-T\_BLANK

Large Engravable Button Cap, Almond Textured, Engraving not included

### CLW-BTN-SM-A-S\_BLANK

Small Engravable Button Cap, Almond Smooth, Engraving not included

### CLW-BTN-SM-A-T\_BLANK

Small Engravable Button Cap, Almond Textured, Engraving not included

### CLW-BTN-RKR-B-S\_BLANK

Rocker Engravable Button Cap, Black Smooth, Engraving not included

### CLW-BTN-RKR-B-T\_BLANK

Rocker Engravable Button Cap, Black Textured, Engraving not included

### CLW-BTN-LG-B-S\_BLANK

Large Engravable Button Cap, Black Smooth, Engraving not included

### CLW-BTN-LG-B-T\_BLANK

Large Engravable Button Cap, Black Textured, Engraving not included

### CLW-BTN-SM-B-S\_BLANK

Small Engravable Button Cap, Black Smooth, Engraving not included

### CLW-BTN-SM-B-T\_BLANK

Small Engravable Button Cap, Black Textured, Engraving not included

### CLW-BTN-RKR-BRN-S\_BLANK

Rocker Engravable Button Cap, Brown Smooth, Engraving not included

### CLW-BTN-LG-BRN-S\_BLANK

Large Engravable Button Cap, Brown Smooth, Engraving not included

### CLW-BTN-SM-BRN-S\_BLANK

Small Engravable Button Cap, Brown Smooth, Engraving not included

### CLW-BTN-RKR-DA-S\_BLANK

Rocker Engravable Button Cap, Dark Almond Smooth, Engraving not included

### CLW-BTN-LG-DA-S\_BLANK

Large Engravable Button Cap, Dark Almond Smooth, Engraving not included

### CLW-BTN-SM-DA-S\_BLANK

Small Engravable Button Cap, Dark Almond Smooth, Engraving not included

### CLW-BTN-RKR-DSK-T\_BLANK

Rocker Engravable Button Cap, Dusk Textured, Engraving not included

### CLW-BTN-LG-DSK-T\_BLANK

Large Engravable Button Cap, Dusk Textured, Engraving not included

### CLW-BTN-SM-DSK-T\_BLANK

Small Engravable Button Cap, Dusk Textured, Engraving not included

### CLW-BTN-RKR-GRY-S\_BLANK

Rocker Engravable Button Cap Gray, Smooth, Engraving not included

### CLW-BTN-LG-GRY-S\_BLANK

Large Engravable Button Cap, Gray Smooth, Engraving not included

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

### **CLW-BTN-SM-GRY-S\_BLANK**

Small Engravable Button Cap, Gray Smooth, Engraving not included

### **CLW-BTN-RKR-IVR-S\_BLANK**

Rocker Engravable Button Cap, Ivory Smooth, Engraving not included

### **CLW-BTN-LG-IVR-S\_BLANK**

Large Engravable Button Cap, Ivory Smooth, Engraving not included

### **CLW-BTN-SM-IVR-S\_BLANK**

Small Engravable Button Cap, Ivory Smooth, Engraving not included

### **CLW-BTN-RKR-LAT-T\_BLANK**

Rocker Engravable Button Cap Latte, Textured, Engraving not included

### **CLW-BTN-LG-LAT-T\_BLANK**

Large Engravable Button Cap, Latte Textured, Engraving not included

### **CLW-BTN-SM-LAT-T\_BLANK**

Small Engravable Button Cap, Latte Textured, Engraving not included

### **CLW-BTN-RKR-W-S\_BLANK**

Rocker Engravable Button Cap, White Smooth, Engraving not included

### **CLW-BTN-RKR-W-T\_BLANK**

Rocker Engravable Button Cap, White Textured, Engraving not included

### **CLW-BTN-LG-W-S\_BLANK**

Large Engravable Button Cap, White Smooth, Engraving not included

### **CLW-BTN-LG-W-T\_BLANK**

Large Engravable Button Cap, White Textured, Engraving not included

### **CLW-BTN-SM-W-S\_BLANK**

Small Engravable Button Cap, White Smooth, Engraving not included

### **CLW-BTN-SM-W-T\_BLANK**

Small Engravable Button Cap, White Textured, Engraving not included

## **Available Accessories**

### **CEN-GWEXER**

infiNET EX® Network and ER Wireless Gateway

### **CEN-GWEXER-PWE**

infiNET EX® Network and ER Wireless Gateway w/ PoE Injector

### **MC4**

4-Series Media Room Controller

### **MC4-R**

4-Series Media Room Controller for Crestron Home™ OS

### **CLW-SLVU-P-A-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Almond Smooth

### **CLW-SLVU-P-A-T**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Almond Textured

### **CLW-SLVU-P-B-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Black, Smooth

### **CLW-SLVU-P-B-T**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Black, Textured

### **CLW-SLVU-P-BRN-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Brown Smooth

### **CLW-SLVU-P-DA-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Dark Almond Smooth

### **CLW-SLVU-P-DSK-T**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Dusk Textured

### **CLW-SLVU-P-GRY-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Gray Smooth

### **CLW-SLVU-P-IVR-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Ivory Smooth

### **CLW-SLVU-P-LAT-T**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, Latte Textured

### **CLW-SLVU-P-W-S**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, White Smooth

### **CLW-SLVU-P-W-T**

Cameo® Wireless In-Wall Remote Dimmer, 120 V, White Textured

### **CLW-BTN-RKR-A-S\_ENGRAVED**

Rocker Engravable Button Cap, Almond Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-A-T\_ENGRAVED**

Rocker Engravable Button Cap, Almond Textured, Includes Custom Engraving

### **CLW-BTN-LG-A-S\_ENGRAVED**

Large Engravable Button Cap, Almond Smooth, Includes Custom Engraving

### **CLW-BTN-LG-A-T\_ENGRAVED**

Large Engravable Button Cap, Almond Textured, Includes Custom Engraving

### **CLW-BTN-SM-A-S\_ENGRAVED**

Small Engravable Button Cap, Almond Smooth, Includes Custom Engraving

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

### **CLW-BTN-SM-A-T\_ENGRAVED**

Small Engravable Button Cap, Almond Textured, Includes Custom Engraving

### **CLW-BTN-RKR-B-S\_ENGRAVED**

Rocker Engravable Button Cap, Black Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-B-T\_ENGRAVED**

Rocker Engravable Button Cap, Black Textured, Includes Custom Engraving

### **CLW-BTN-LG-B-S\_ENGRAVED**

Large Engravable Button Cap, Black Smooth, Includes Custom Engraving

### **CLW-BTN-LG-B-T\_ENGRAVED**

Large Engravable Button Cap, Black Textured, Includes Custom Engraving

### **CLW-BTN-SM-B-S\_ENGRAVED**

Small Engravable Button Cap, Black Smooth, Includes Custom Engraving

### **CLW-BTN-SM-B-T\_ENGRAVED**

Small Engravable Button Cap, Black Textured, Includes Custom Engraving

### **CLW-BTN-RKR-BRN-S\_ENGRAVED**

Rocker Engravable Button Cap, Brown Smooth, Includes Custom Engraving

### **CLW-BTN-LG-BRN-S\_ENGRAVED**

Large Engravable Button Cap, Brown Smooth, Includes Custom Engraving

### **CLW-BTN-SM-BRN-S\_ENGRAVED**

Small Engravable Button Cap, Brown Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-DA-S\_ENGRAVED**

Rocker Engravable Button Cap, Dark Almond Smooth, Includes Custom Engraving

### **CLW-BTN-LG-DA-S\_ENGRAVED**

Large Engravable Button Cap, Dark Almond Smooth, Includes Custom Engraving

### **CLW-BTN-SM-DA-S\_ENGRAVED**

Small Engravable Button Cap, Dark Almond Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-DSK-T\_ENGRAVED**

Rocker Engravable Button Cap, Dusk Textured, Includes Custom Engraving

### **CLW-BTN-LG-DSK-T\_ENGRAVED**

Large Engravable Button Cap, Dusk Textured, Includes Custom Engraving

### **CLW-BTN-SM-DSK-T\_ENGRAVED**

Small Engravable Button Cap, Dusk Textured, Includes Custom Engraving

### **CLW-BTN-RKR-GRY-S\_ENGRAVED**

Rocker Engravable Button Cap Gray, Smooth, Includes Custom Engraving

### **CLW-BTN-LG-GRY-S\_ENGRAVED**

Large Engravable Button Cap, Gray Smooth, Includes Custom Engraving

### **CLW-BTN-SM-GRY-S\_ENGRAVED**

Small Engravable Button Cap, Gray Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-IVR-S\_ENGRAVED**

Rocker Engravable Button Cap, Ivory Smooth, Includes Custom Engraving

### **CLW-BTN-LG-IVR-S\_ENGRAVED**

Large Engravable Button Cap, Ivory Smooth, Includes Custom Engraving

### **CLW-BTN-SM-IVR-S\_ENGRAVED**

Small Engravable Button Cap, Ivory Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-LAT-T\_ENGRAVED**

Rocker Engravable Button Cap Latte, Textured, Includes Custom Engraving

### **CLW-BTN-LG-LAT-T\_ENGRAVED**

Large Engravable Button Cap, Latte Textured, Includes Custom Engraving

### **CLW-BTN-SM-LAT-T\_ENGRAVED**

Small Engravable Button Cap, Latte Textured, Includes Custom Engraving

### **CLW-BTN-RKR-W-S\_ENGRAVED**

Rocker Engravable Button Cap, White Smooth, Includes Custom Engraving

### **CLW-BTN-RKR-W-T\_ENGRAVED**

Rocker Engravable Button Cap, White Textured, Includes Custom Engraving

### **CLW-BTN-LG-W-S\_ENGRAVED**

Large Engravable Button Cap, White Smooth, Includes Custom Engraving

### **CLW-BTN-LG-W-T\_ENGRAVED**

Large Engravable Button Cap, White Textured, Includes Custom Engraving

### **CLW-BTN-SM-W-S\_ENGRAVED**

Small Engravable Button Cap, White Smooth, Includes Custom Engraving

### **CLW-BTN-SM-W-T\_ENGRAVED**

Small Engravable Button Cap, White Textured, Includes Custom Engraving

### **FP-G1-A-S**

Decorator Style Faceplate, 1-Gang, Almond Smooth

### **FP-G1-A-T**

Decorator Style Faceplate, 1-Gang, Almond Textured

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

**FP-G1-B-S**

Decorator Style Faceplate, 1-Gang, Black Smooth

**FP-G1-B-T**

Decorator Style Faceplate, 1-Gang, Black Textured

**FP-G1-BRN-S**

Decorator Style Faceplate, 1-Gang, Brown Smooth

**FP-G1-DA-S**

Decorator Style Faceplate, 1-Gang, Dark Almond Smooth

**FP-G1-DSK-T**

Decorator Style Faceplate, 1-Gang, Dusk Textured

**FP-G1-GRY-S**

Decorator Style Faceplate, 1-Gang, Gray Smooth

**FP-G1-IVR-S**

Decorator Style Faceplate, 1-Gang, Ivory Smooth

**FP-G1-LAT-T**

Decorator Style Faceplate, 1-Gang, Latte Textured

**FP-G1-W-S**

Decorator Style Faceplate, 1-Gang, White Smooth

**FP-G1-W-T**

Decorator Style Faceplate, 1-Gang, White Textured

**FP-G2-A-S**

Decorator Style Faceplate, 2-Gang, Almond Smooth

**FP-G2-A-T**

Decorator Style Faceplate, 2-Gang, Almond Textured

**FP-G2-B-S**

Decorator Style Faceplate, 2-Gang, Black Smooth

**FP-G2-B-T**

Decorator Style Faceplate, 2-Gang, Black Textured

**FP-G2-BRN-S**

Decorator Style Faceplate, 2-Gang, Brown Smooth

**FP-G2-DA-S**

Decorator Style Faceplate, 2-Gang, Dark Almond Smooth

**FP-G2-DSK-T**

Decorator Style Faceplate, 2-Gang, Dusk Textured

**FP-G2-GRY-S**

Decorator Style Faceplate, 2-Gang, Gray Smooth

**FP-G2-IVR-S**

Decorator Style Faceplate, 2-Gang, Ivory Smooth

**FP-G2-LAT-T**

Decorator Style Faceplate, 2-Gang, Latte Textured

**FP-G2-W-S**

Decorator Style Faceplate, 2-Gang, White Smooth

**FP-G2-W-T**

Decorator Style Faceplate, 2-Gang, White Textured

**FP-G3-A-S**

Decorator Style Faceplate, 3-Gang, Almond Smooth

**FP-G3-A-T**

Decorator Style Faceplate, 3-Gang, Almond Textured

**FP-G3-B-S**

Decorator Style Faceplate, 3-Gang, Black Smooth

**FP-G3-B-T**

Decorator Style Faceplate, 3-Gang, Black Textured

**FP-G3-BRN-S**

Decorator Style Faceplate, 3-Gang, Brown Smooth

**FP-G3-DA-S**

Decorator Style Faceplate, 3-Gang, Dark Almond Smooth

**FP-G3-DSK-T**

Decorator Style Faceplate, 3-Gang, Dusk Textured

**FP-G3-GRY-S**

Decorator Style Faceplate, 3-Gang, Gray Smooth

**FP-G3-IVR-S**

Decorator Style Faceplate, 3-Gang, Ivory Smooth

**FP-G3-LAT-T**

Decorator Style Faceplate, 3-Gang, Latte Textured

**FP-G3-W-S**

Decorator Style Faceplate, 3-Gang, White Smooth

**FP-G3-W-T**

Decorator Style Faceplate, 3-Gang, White Textured

**FP-G4-A-S**

Decorator Style Faceplate, 4-Gang, Almond Smooth

**FP-G4-A-T**

Decorator Style Faceplate, 4-Gang, Almond Textured

**FP-G4-B-S**

Decorator Style Faceplate, 4-Gang, Black Smooth

**FP-G4-B-T**

Decorator Style Faceplate, 4-Gang, Black Textured

**FP-G4-BRN-S**

Decorator Style Faceplate, 4-Gang, Brown Smooth

**FP-G4-DA-S**

Decorator Style Faceplate, 4-Gang, Dark Almond Smooth

**FP-G4-DSK-T**

Decorator Style Faceplate, 4-Gang, Dusk Textured

**FP-G4-GRY-S**

Decorator Style Faceplate, 4-Gang, Gray Smooth

**FP-G4-IVR-S**

Decorator Style Faceplate, 4-Gang, Ivory Smooth

**FP-G4-LAT-T**

Decorator Style Faceplate, 4-Gang, Latte Textured

**FP-G4-W-S**

Decorator Style Faceplate, 4-Gang, White Smooth

**FP-G4-W-T**

Decorator Style Faceplate, 4-Gang, White Textured

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

### **FP-G1-RED-S**

Decorator Style Faceplate, 1-Gang, Red Textured

### **FP-G2-RED-S**

Decorator Style Faceplate, 2-Gang, Red Textured

### **FP-G3-RED-S**

Decorator Style Faceplate, 3-Gang, Red Textured

### **FP-G4-RED-S**

Decorator Style Faceplate, 4-Gang, Red Textured

#### Notes:

1. Any inFiNET EX device that provides expander functionality will effectively extend the range of the wireless network beyond the initial range of the gateway. Battery-powered inFiNET EX devices do not provide expander functionality. A dedicated inFiNET EXWireless Expander, model CLW-EXPEX, is also available.

This product may be purchased from select authorized Crestron dealers and distributors. To find a dealer or distributor, please contact the Crestron sales representative for your area. A list of sales representatives is available online at [www.crestron.com/How-To-Buy/Find-a-Representative](http://www.crestron.com/How-To-Buy/Find-a-Representative) or by calling 855-263-8754.

This product is covered under the Crestron standard limited warranty. Refer to [www.crestron.com/warranty](http://www.crestron.com/warranty) for full details.

The specific patents that cover Crestron products are listed online at [patents.crestron.com](http://patents.crestron.com).

Certain Crestron products contain open source software. For specific information, please visit [www.crestron.com/opensource](http://www.crestron.com/opensource).

Crestron, the Crestron logo, Crestron Home, Cameo, and inFiNET EX are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

Specifications are subject to change without notice.

©2020 Crestron Electronics, Inc.

Rev 03/24/20

# CLW-DIMUEX-P

## Cameo® In-Wall Universal Phase Dimmer, 120 VAC

