

Product data sheet

CONSTRUCTION TYPE

Built-in appliance	•
Integrated appliance	•
Door hinging	Right convertible
Convertible hinging	•
Can be installed side by side	•

DESIGN

Lighting	BrilliantLight
Front colour	CleanTouch Steel

USER CONVENIENCE

Freshness system	MasterFresh
DuplexCool Pro	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
DynaCool	•
NoFrost	•
NoFrost	•
SoftClose	•
SelfClose	•
Push2open	•

Networking with Miele@home

•

CONTROLS**Eco mode**

•

User interface

MasterSensor

Independent temperature regulation of fridge and freezer compartments

•

SuperCool

•

SuperFrost

•

Number of temperature zones

3

Sabbath mode

•

Holiday mode

•

FRIDGE / FRIDGE SECTION**SlidingShelf**

•

Door rack for tins

1

Height-adjustable tempered glass shelves

1

Number of crisper drawers

2

Door rack for bottles

2

FREEZER / FREEZER SECTION**Number of freezer baskets**

2

EFFICIENCY AND SUSTAINABILITY**Energy Star**

•

SAFETY

Overflow protection	•
Safety lock	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•

TECHNICAL DATA

Replacing lamps	Customer Service
Number of phases	1
Niche width in inches (mm), min.	30 (762)
Niche width in inches (mm), max.	30 (762)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in mm	24 1/8 (610)
Appliance width in mm	29 7/8 (756)
Appliance height in mm	83 3/4 (2125)
Appliance depth in mm	24 (608)
Weight in lbs (kg)	446 (202.0)
Door hinge technology	Fixed door
Total usable capacity in l	15.96 (452) ft ³ (l)
Current consumption in milliamps (mA)	4000
Voltage in V	110-120
Fuse rating in A	10
Frequency in Hz	60

Length of power cable in m

11 (3.5)

ACCESSORIES SUPPLIED

Active AirClean filter

•

APPLIANCE CATEGORY

Fridge / freezer

•

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options

bahasa malaysia
