



Laundry Tower Single Unit Front Load 5.1 Cu. Ft. I.E.C Washer and 8 Cu. $\,$

Ft. Electric Dryer

Laundry Tower

Available Products: ELTE730CAW, ELTE730CAD

Available Colors: White, Denim Blue

Version: 11/25

Product Specifications

Washer		Washer Cycles	
Drum Material	Stainless Steel	Cycle Count	7
Maximum Spin Speed	1100 RPM	Clean Washer	Yes
Water Level Adjustment	Yes	Delicates	Yes
J		Fast Wash	Yes
Washer Options		Heavy Duty	Yes
Delay Start Time	1-12 Hours	Normal	Yes
Extended Refresh Yes		Rinse and Spin	Yes
Extra Rinse	Yes	Towels	Yes
Stain Treat	Yes		
Stain 11cat	103	Soil Levels	
Washay Spin Speeds		Extra Light	Yes
Washer Spin Speeds	4	Light	Yes
Spin Speed Selections Max	Yes	Normal	Yes
		Heavy	Yes
Medium	Yes	iicavy	162
Low	Yes		
No Spin	Yes	Dryer	
		Balanced Dry	Yes
Temperature Settings		Drum Back Type	Painted Steel
Eco Cold	Yes	Drum Material	Painted Steel
Cool	Yes	Dryness Level Selections	Yes
Warm	Yes	Lint Filter	Yes
Hot	Yes	Moisture Sensor	Yes
Dispenser		Dryer Options	
Bleach Dispenser	Yes	Delay Start Time	1-12 Hours
Detergent Dispenser	Yes	Dry Boost	Yes
Fabric Softener Dispenser	Yes	Extended Tumble	Yes
Prewash Detergent Dispenser	Yes	Wrinkle Release	Yes
Dryer Cycles		Dryness Level	
Cycle Count	7	High	Yes
Allergen	Yes	Normal	Yes
Delicates	Yes	Low	Yes
Fast Dry	Yes	Damp	Yes
Heavy Duty	Yes		100
Normal	Yes	Exterior	
Timed Dry Time	Yes	Door Latch	Yes

Towels	Yes	Reversible Door	Yes

6135

Washer and 8 Cu. Ft. Electric Dryer

Available Products: ELTE730CAW, ELTE730CAD Available Colors: White, Denim Blue

Version: 11/25

Warranty - Parts

Warranty - Tub

ENERGY STAR Certified

Performance Certifications and Approvals

Drying Temperatures		Electrical Specifications	
LOW	Yes	Minimum Circuit Required (Dryer)	30 Amps
Normal	Yes	Minimum Circuit Required (Washing Machine)	15 Amps
High	Yes	Voltage Rating (Dryer)	208/240v
Eco Dry	Yes	Voltage Rating (Washing Machine)	120v
Controls		Installation	
Cancel	Yes	Dryer Power Cord Included	Yes
Child Lock	Yes	Washer Power Cord Included	Yes
Control Lock	Yes	Ventilation Type	Vented
Cycle Status Lights	Yes		
Delay Start	Yes	Certifications and Approvals	
Estimated Time Remaining	Yes	ADA Compliant	No
How to Cancel	Key Combination	<u>.</u>	
Pause Function	Yes	Right to Repair Details	
Power On/Off	Yes	Tught to Repuir Details	Available - Visit
Start	Yes		electrolux.ca/en/Owner
		Right to Repair	Support/right-to-repair
Dimensions and Volume			for more information
Height	76 1/4"		
Width	27"		
Depth	32"		
Minimum Depth for Installation	36"		
Oryer Drum Capacity	8 Cu. Ft.		
Dry Linen Capacity Tested Amount	11 kg		
Energy Data			
Combined Energy Factor (CEF)	3.93		
Energy Efficiency	Tier 1		
Integrated Modified Energy Factor	2.76		
0 00	3.2		
integrated Water Factor			
ntegrated Water Factor kWh/year	670 kWh		

1 Year

Yes

Lifetime


Washer and 8 Cu. Ft. Electric Dryer

Available Products: ELTE730CAW, ELTE730CAD Available Colors: White, Denim Blue

Version: 11/25

Installation Diagram

Laundry Center Dimensions



¹ Dryer electrical supply on rear of unit.



- Allow minimum 36" of depth space for proper installation with 90° quick turn elbow for venting.
- Connection of water inlet hose on steam laundry center adds 3/4 in. (2 cm) to installation depth.
- · Power supply cord length on washer approximately 60 inches (152.5 cm).
- · Drain hose length on washer approximately 59 inches (150 cm).
- Power supply cord length on gas laundry center or electric Canadian laundry center approximately 60 inches (152.5 cm).

Laundry Center Dimensions				
1.	Unit width	27" (69 cm)		
2.	Height to gas supply pipe on rear of gas unit	39.7" (101 cm)		
3.	Centerline height for rear vent	41.8" (106 cm)		
4.	Floor line			
5.	Unit height	76.3" (194 cm)		
6.	Door clearance	53.9" (137 cm)		
7.	Unit depth	31.9" (81 cm)		
8.	Width distance to water connections	7.8" (20 cm)		
9.	Height to water connections	35.7" (91 cm)		
10.	Height to washer power connections	35.5" (91 cm)		
11.	Width distance to washer power connections	7.1" (18 cm)		
12.	Height to dryer electrical supply	48" (122 cm)		