

SUMMARY

| | |
|------------|----------|
| Dryer Type | Electric |
|------------|----------|

CAPACITY

| | |
|----------|-------------|
| Capacity | 7.3 cu. ft. |
|----------|-------------|

APPEARANCE

| | |
|-------------|--------------|
| Design Look | Rear Control |
|-------------|--------------|

| | |
|---|-----|
| Intelligent Electronic Controls with Dual LED Display | Yes |
|---|-----|

| | |
|---------------|-----|
| Dial-A-Cycle™ | Yes |
|---------------|-----|

DRYING PROGRAMS

| | |
|-----------------|---|
| No. of Programs | 8 |
|-----------------|---|

| | |
|-----------------------|--|
| Programs (Sensor Dry) | Cotton/Normal, Perm. Press/Casual, Heavy Duty, Delicates, Anti-Bacterial, Small Load |
|-----------------------|--|

| | |
|-----------------------|--------------------|
| Programs (Manual Dry) | Speed Dry, Air Dry |
|-----------------------|--------------------|

| | |
|----------------|---|
| No. of Options | 8 |
|----------------|---|

| | |
|---------|---|
| Options | More Time, Less Time, Wrinkle Care, Custom Program, Child Lock, Damp Dry Signal, End of Cycle Signal, Rack Dry* |
|---------|---|

| | |
|----------------------|---|
| Temperature Settings | High, Medium High, Medium, Low, Ultra Low |
|----------------------|---|

| | |
|---------------|--|
| Drying Levels | Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry |
|---------------|--|

| | |
|--|--|
| 6/6/22, 6:27 AM | |
| Manual Dry Times | 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time |
| FABRIC CARE FEATURES | |
| Sensor Dry | Yes |
| Precise Temperature Control with Variable Heater | Yes |
| CONVENIENCE FEATURES | |
| LoDecibel™ Quiet Operation | Yes |
| SmartDiagnosis™ | Yes |
| FlowSense™ Duct Clogging Indicator | Yes |
| Anti-Bacterial Cycle | Yes |
| Wrinkle Care Option | Yes |
| Remaining Time Display/Status Indicator(s) | Yes |
| End of Cycle Signal | Yes |
| Child Lock | Yes |
| Drum Light | Yes |
| Reversible Door | Yes |
| Leveling Legs | 4 Adjustable Legs |
| Venting Option | Electric: 4 Way Venting / Gas: 3 Way Venting |
| 3 Minute Installation Check | Yes |

MATERIALS AND FINISHES

| | |
|-----------------------------|---------------|
| Aluminized Alloy Steel Drum | Yes |
| Cabinet | Painted Steel |
| Control Panel | Plastic |
| Top Plate | Painted Steel |
| Silver Rimmed Solid Door | Yes |
| Available Colors | White (W) |

POWER SOURCE

| | |
|-------------------------|--|
| Ratings | CSA Listed |
| Electrical Requirements | 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) |
| Type | Gas/Electric |

OPTIONS

| | |
|-------------------|-------------|
| Dryer Rack | 3750EL0001C |
| LP Conversion Kit | 4948EL4002B |
| Side Venting Kit | 3911EZ9131X |

DIMENSIONS

| | |
|-----------------|--|
| Product (WxHxD) | 27" x 45 3/8" x 28 3/8" (50 1/4" D with door open) |
| Carton (WxHxD) | 29 1/2" x 48" x 31 1/4" |

| | |
|-------------------------|-----------------------|
| Weight (Product/Carton) | 125.4 lbs. / 143 lbs. |
|-------------------------|-----------------------|

WARRANTY/UPC

| | |
|------------------|------------------------|
| Limited Warranty | 1 Year Parts and Labor |
|------------------|------------------------|

| | |
|-----|--------------|
| UPC | 048231014922 |
|-----|--------------|
