



3900-SECTP (57P, 19, 23, 59P, 58P) in leather 824-02

FLEXSTEEL®

© Flexsteel Industries, Inc. | Last Updated 08/23

Catalina | 3900

LEATHER

19
57M
58M
59M

23

FEATURES

- Flexsteel Spring Unit
- DualFlex
- Sinuous Wire
- Back Construction
- Attached
- Seat Construction
- Attached
- Seat Cushion(s)
- High-Density (HC)


- Standard
- Optional

PRODUCT DIMENSIONS

	OVERALL			SEAT			Arm Height	Open Depth	Wall Clearance
	Height	Width	Depth	Height	Width	Depth			
Armless Chair -19	40"	26"	39"	19"	26"	21"			
Full Wedge -23	40"	64"	41"	19"	38"	23"			
LAF Power Recliner -57M	40"	30"	39"	19"	25"	21"	24"	67"	5"
RAF Power Recliner -58M	40"	30"	39"	19"	25"	21"	24"	67"	5"
Armless Power Recliner -59M	40"	26"	39"	19"	26"	21"		67"	5"
Straight Console -72	40"	9"	38"	24"	9"	23"			

NOTES

- A clean, transitional design
- Padded, soft sloped track arms
- Choose from six modular components to build a sectional that fits your space
- The straight console contains two cupholders for drinks
- Adjust the recline and headrest positions with the touch of a button
- Charge electronic devices with the single USB-A port located in the power button
- Sustainably sourced wood frame delivers exceptional durability
- Contoured, high-density foam seat cushions provide lasting, everyday comfort and support
- Upholstered in your choice of more than 50 durable leathers
- Handcrafted in North America
- Power allows you to smoothly recline to any position.
- A single USB port is included on each power button control on styles with arms.









Interlocking Brackets
Interlocking brackets securely attach one sectional component to another to prevent them from separating even when reclining.

3900 Catalina | Components & Configurations





Sectionals

Components

LAF = Left-Arm-Facing
RAF = Right-Arm-Facing



Sample Configurations



Scale 1/4"=1'

Dimensions are in inches and are subject to variance.
© Flexsteel Industries, Inc. 7/22
FLX-CP-FR-CC-3900

FLEXSTEEL®