

VENTILATION AND GAS COOKTOP PAIRINGS

GAS COOKTOPS						
MODELS	60,000 BTU TOTAL OR MORE			LESS THAN 60,000 BTU TOTAL		
	36"		30"	36"	30"	
	JGC7636B	JGC3536G	JGC7530B	JGC2536EB	JGC2530EB	JGC3530G
VENTILATION STYLE						
ACCOLADE® DOWNDRAFT SYSTEM						
JXD7836BS	■	■	■	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS						
JXD7030YS	—	—	■	—	■	■
JXD7036YS	—	■	■	■	■	■
PROFESSIONAL-STYLE HOODS						
JXU9130WP / JXU9130HP	—	—	■	—	■	■
JXW9030WP / JXW9030HP	—	—	■	—	■	■
JXW9036WP / JXW9036HP	—	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■	■
CUSTOM HOOD LINERS*						
UXL5430BSS	—	—	—	—	■	■
JXL6536CSS	1,200 CFM only	■	■	■	■	■
JXL6536HS	1,200 CFM only	■	■	■	■	■
UXL6036YSS	1,200 CFM only	—	■	■	■	■
UXL6048YSS	1,200 CFM only	—	■	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS						
JXI8536HS	—	■	■	■	■	■
JXI8936DS	■	■	■	■	■	■
ISLAND-MOUNT HOODS						
JXI8736DS / JXI8536DS	■	■	■	■	■	■
JXI8742DS	■	■	■	■	■	■
WALL-MOUNT PERIMETRIC HOODS						
JXW8530HS	—	—	■	—	■	■
JXW8536HS	—	■	■	■	■	■
JXW8936DS	■	■	■	■	■	■
WALL-MOUNT HOODS						
JVR0430H	—	—	■	—	■	■
JXW8530DS	—	—	■	—	■	■
JVR0436H	—	■	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■	■	■
MICROWAVE / HOOD COMBOS						
JMV8208CS	—	—	■	—	■	■
JMV9196CS	—	—	■	—	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**

Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.

All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND INDUCTION COOKTOP PAIRINGS

INDUCTION					
MODELS	36"		30"		24"
	JIC4536X	JIC4736H	JIC4430X	JIC4730H	JIC4724H
VENTILATION STYLE					
ACCOLADE® DOWNDRAFT SYSTEM					
JXD7836BS	■	■	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS					
JXD7030YS	—	—	■	—	—
JXD7036YS	■	■	■	■	■
PROFESSIONAL-STYLE HOODS					
JXU9130WP / JXU9130HP	—	—	■	—	—
JXW9030WP / JXW9030HP	—	—	■	—	—
JXW9036WP / JXW9036HP	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■
CUSTOM HOOD LINERS*					
UXL5430BSS	—	—	■	—	■
JXL6536CSS	■	■	■	■	■
JXL6536HS	■	■	■	■	■
UXL6036YSS	■	■	■	■	■
UXL6048YSS	■	■	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS					
JXI8536HS	■	■	■	■	■
JXI8936DS	■	■	■	■	■
ISLAND-MOUNT HOODS					
JXI8736DS / JXI8536DS	■	■	■	■	■
JXI8742DS	■	■	■	■	■
WALL-MOUNT PERIMETRIC HOODS					
JXW8530HS	—	—	■	■	■
JXW8536HS	■	■	■	■	■
JXW8936DS	■	■	■	■	■
WALL-MOUNT HOODS					
JVR0430H	—	—	■	■	■
JXW8530DS	—	—	■	—	—
JVR0436H	■	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■	■
MICROWAVE / HOOD COMBOS					
JMV8208CS	—	—	■	■	■
JMV9196CS	—	—	■	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND RADIANT COOKTOP PAIRINGS

RADIANT			
MODELS	36"		
	JEC4536H	JEC3536B	JEC3536H
VENTILATION STYLE			
ACCOLADE® DOWNDRAFT SYSTEM			
JXD7836BS	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS			
JXD7030YS	—	—	—
JXD7036YS	■	■	■
PROFESSIONAL-STYLE HOODS			
JXU9130WP / JXU9130HP	—	—	—
JXW9030WP / JXW9030HP	—	—	—
JXW9036WP / JXW9036HP	■	■	■
JXU9136WP / JXU9136HP	■	■	■
JXW9048WP / JXW9048HP	■	■	■
CUSTOM HOOD LINERS*			
UXL5430BSS	—	—	—
JXL6536CSS	■	■	■
JXL6536HS	■	■	■
UXL6036YSS	■	■	■
UXL6048YSS	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS			
JXI8536HS	■	■	■
JXI8936DS	■	■	■
ISLAND-MOUNT HOODS			
JXI8736DS / JXI8536DS	■	■	■
JXI8742DS	■	■	■
WALL-MOUNT PERIMETRIC HOODS			
JXW8530HS	—	—	—
JXW8536HS	■	■	■
JXW8936DS	■	■	■
WALL-MOUNT HOODS			
JVR0430H	—	—	—
JXW8530DS	—	—	—
JVR0436H	■	■	■
JXW8736DS / JXW8536DS	■	■	■
MICROWAVE / HOOD COMBOS			
JMV8208CS	—	—	—
JMV9196CS	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND RADIANT COOKTOP PAIRINGS

RADIANT					
MODELS	30"				24"
	JEC4430B	JEC4430H	JEC3430B	JEC3430H	JEC4424H
VENTILATION STYLE					
ACCOLADE® DOWNDRAFT SYSTEM					
JXD7836BS	■	■	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS					
JXD7030YS	■	■	■	■	■
JXD7036YS	■	■	■	■	■
PROFESSIONAL-STYLE HOODS					
JXU9130WP / JXU9130HP	■	■	■	■	■
JXW9030WP / JXW9030HP	■	■	■	■	■
JXW9036WP / JXW9036HP	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■
CUSTOM HOOD LINERS*					
UXL5430BSS	■	■	■	■	■
JXL6536CSS	■	■	■	■	■
JXL6536HS	■	■	■	■	■
UXL6036YSS	■	■	■	■	■
UXL6048YSS	■	■	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS					
JXI8536HS	■	■	■	■	■
JXI8936DS	■	■	■	■	■
ISLAND-MOUNT HOODS					
JXI8736DS / JXI8536DS	■	■	■	■	■
JXI8742DS	■	■	■	■	■
WALL-MOUNT PERIMETRIC HOODS					
JXW8530HS	■	■	■	■	■
JXW8536HS	■	■	■	■	■
JXW8936DS	■	■	■	■	■
WALL-MOUNT HOODS					
JVR0430H	■	■	■	■	■
JXW8530DS	■	■	■	■	■
JVR0436H	■	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■	■
MICROWAVE / HOOD COMBOS					
JMV8208CS	■	■	■	■	■
JMV9196CS	■	■	■	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE RANGETOP PAIRINGS

PROFESSIONAL-STYLE RANGETOPS				
MODELS	60,000 BTU TOTAL OR MORE			
	48"			
	JGCP548WP	JGCP548H	JGCP648H	JGCP748H
VENTILATION STYLE				
ACCOLADE® DOWNDRAFT SYSTEM				
JXD7836BS	—	—	—	—
TELESCOPING DOWNDRAFT SYSTEMS				
JXD7030YS	—	—	—	—
JXD7036YS	—	—	—	—
PROFESSIONAL-STYLE HOODS				
JXU9130WP / JXU9130HP	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—
JXW9036WP / JXW9036HP	—	—	—	—
JXU9136WP / JXU9136HP	—	—	—	—
JXW9048WP / JXW9048HP	■	■	■	■
CUSTOM HOOD LINERS*				
UXL5430BSS	—	—	—	—
JXL6536CSS	—	—	—	—
JXL6536HS	—	—	—	—
UXL6036YSS	—	—	—	—
UXL6048YSS	■	—	—	■
ISLAND-MOUNT PERIMETRIC HOODS				
JXI8536HS	—	—	—	—
JXI8936DS	—	—	—	—
ISLAND-MOUNT HOODS				
JXI8736DS / JXI8536DS	—	—	—	—
JXI8742DS	—	—	—	—
WALL-MOUNT PERIMETRIC HOODS				
JXW8530HS	—	—	—	—
JXW8536HS	—	—	—	—
JXW8936DS	—	—	—	—
WALL-MOUNT HOODS				
JVR0430H	—	—	—	—
JXW8530DS	—	—	—	—
JVR0436H	—	—	—	—
JXW8736DS / JXW8536DS	—	—	—	—
MICROWAVE / HOOD COMBOS				
JMV8208CS	—	—	—	—
JMV9196CS	—	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE RANGETOP PAIRINGS

PROFESSIONAL-STYLE RANGETOPS					
MODELS	60,000 BTU TOTAL OR MORE				LESS THAN 60,000 BTU TOTAL
	36"				
	JGCP436WP	JGCP436H	JGCP536H	JGCP636H	JGCP536WP
VENTILATION STYLE					
ACCOLADE® DOWNDRAFT SYSTEM					
JXD7836BS	■	—	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS					
JXD7030YS	—	—	—	—	—
JXD7036YS	—	—	—	—	—
PROFESSIONAL-STYLE HOODS					
JXU9130WP / JXU9130HP	—	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—	—
JXW9036WP / JXW9036HP	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■
CUSTOM HOOD LINERS*					
UXL5430BSS	—	—	—	—	—
JXL6536CSS	1,200 CFM only	1,200 CFM only	■	■	■
JXL6536HS	1,200 CFM only	1,200 CFM only	■	■	■
UXL6036YSS	■	■	■	■	■
UXL6048YSS	■	—	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS					
JXI8536HS	—	—	—	—	■
JXI8936DS	—	—	■	—	■
ISLAND-MOUNT HOODS					
JXI8736DS / JXI8536DS	—	—	—	—	■
JXI8742DS	—	—	■	—	■
WALL-MOUNT PERIMETRIC HOODS					
JXW8530HS	—	—	—	—	—
JXW8536HS	—	—	■	—	■
JXW8936DS	—	—	■	—	■
WALL-MOUNT HOODS					
JVR0430H	—	—	—	—	—
JXW8530DS	—	—	—	—	—
JVR0436H	—	—	■	—	■
JXW8736DS / JXW8536DS	—	—	■	—	■
MICROWAVE / HOOD COMBOS					
JMV8208CS	—	—	—	—	—
JMV9196CS	—	—	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE RANGETOP PAIRINGS

PROFESSIONAL-STYLE RANGETOPS		
MODELS	60,000 BTU TOTAL OR MORE	LESS THAN 60,000 BTU TOTAL
	30"	
	JGCP430WP	JGCP430H
VENTILATION STYLE		
ACCOLADE® DOWNDRAFT SYSTEM		
JXD7836BS	■	■
TELESCOPING DOWNDRAFT SYSTEMS		
JXD7030YS	—	—
JXD7036YS	—	—
PROFESSIONAL-STYLE HOODS		
JXU9130WP / JXU9130HP	■	■
JXW9030WP / JXW9030HP	■	■
JXW9036WP / JXW9036HP	■	■
JXU9136WP / JXU9136HP	■	■
JXW9048WP / JXW9048HP	■	■
CUSTOM HOOD LINERS*		
UXL5430BSS	■	■
JXL6536CSS	■	■
JXL6536HS	■	■
UXL6036YSS	■	■
UXL6048YSS	■	■
ISLAND-MOUNT PERIMETRIC HOODS		
JXI8536HS	■	—
JXI8936DS	■	■
ISLAND-MOUNT HOODS		
JXI8736DS / JXI8536DS	■	—
JXI8742DS	■	■
WALL-MOUNT PERIMETRIC HOODS		
JXW8530HS	■	■
JXW8536HS	■	■
JXW8936DS	■	■
WALL-MOUNT HOODS		
JVR0430H	■	■
JXW8530DS	■	■
JVR0436H	■	■
JXW8736DS / JXW8536DS	■	■
MICROWAVE / HOOD COMBOS		
JMV8208CS	■	■
JMV9196CS	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation. All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE DUAL-FUEL RANGE PAIRINGS

PROFESSIONAL-STYLE DUAL-FUEL RANGES						
MODELS	60,000 BTU TOTAL OR MORE					
	48"					
	JDRP548WP	JDRP548H	JDSP548H	JDRP648H	JDRP748H	JDRP848H
VENTILATION STYLE						
ACCOLADE® DOWNDRAFT SYSTEM						
JXD7836BS	—	—	—	—	—	—
TELESCOPING DOWNDRAFT SYSTEMS						
JXD7030YS	—	—	—	—	—	—
JXD7036YS	—	—	—	—	—	—
PROFESSIONAL-STYLE HOODS						
JXU9130WP / JXU9130HP	—	—	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—	—	—
JXW9036WP / JXW9036HP	—	—	—	—	—	—
JXU9136WP / JXU9136HP	—	—	—	—	—	—
JXW9048WP / JXW9048HP	■	■	■	■	■	■
CUSTOM HOOD LINERS*						
UXL5430BSS	—	—	—	—	—	—
JXL6536CSS	—	—	—	—	—	—
JXL6536HS	—	—	—	—	—	—
UXL6036YSS	—	—	—	—	—	—
UXL6048YSS	■	—	—	—	■	■
ISLAND-MOUNT PERIMETRIC HOODS						
JXI8536HS	—	—	—	—	—	—
JXI8936DS	—	—	—	—	—	—
ISLAND-MOUNT HOODS						
JXI8736DS / JXI8536DS	—	—	—	—	—	—
JXI8742DS	—	—	—	—	—	—
WALL-MOUNT PERIMETRIC HOODS						
JXW8530HS	—	—	—	—	—	—
JXW8536HS	—	—	—	—	—	—
JXW8936DS	—	—	—	—	—	—
WALL-MOUNT HOODS						
JVR0430H	—	—	—	—	—	—
JXW8530DS	—	—	—	—	—	—
JVR0436H	—	—	—	—	—	—
JXW8736DS / JXW8536DS	—	—	—	—	—	—
MICROWAVE / HOOD COMBOS						
JMV8208CS	—	—	—	—	—	—
JMV9196CS	—	—	—	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE DUAL-FUEL RANGE PAIRINGS

PROFESSIONAL-STYLE DUAL-FUEL RANGES						
MODELS	60,000 BTU TOTAL OR MORE					LESS THAN 60,000 BTU TOTAL
	36"					
	JDRP436WP	JDRP436H	JDRP536H	JDSP536H	JDRP636H	JDRP536WP
VENTILATION STYLE						
ACCOLADE® DOWNDRAFT SYSTEM						
JXD7836BS	■	—	■	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS						
JXD7030YS	—	—	—	—	—	—
JXD7036YS	—	—	—	—	—	—
PROFESSIONAL-STYLE HOODS						
JXW9030WP / JXU9130WP	—	—	—	—	—	—
JXU9130HP / JXW9030HP	—	—	—	—	—	—
JXW9036WP / JXU9136WP	■	■	■	■	■	■
JXU9136HP / JXW9036HP	■	■	■	■	■	■
JXW9048HP / JXW9048WP	■	■	■	■	■	■
CUSTOM HOOD LINERS*						
UXL5430BSS	—	—	—	—	—	■
JXL6536CSS	1,200 CFM only	1,200 CFM only	■	■	■	■
JXL6536HS	1,200 CFM only	1,200 CFM only	■	■	■	■
UXL6036YSS	■	■	■	■	■	■
UXL6048YSS	■	—	■	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS						
JXI8536HS	—	—	—	—	—	■
JXI8936DS	—	—	■	■	—	■
ISLAND-MOUNT HOODS						
JXI8736DS / JXI8536DS	—	—	—	—	—	■
JXI8742DS	—	—	■	■	—	■
WALL-MOUNT PERIMETRIC HOODS						
JXW8530HS	—	—	—	—	—	—
JXW8536HS	—	—	■	■	—	■
JXW8936DS	—	—	■	■	—	■
WALL-MOUNT HOODS						
JVR0430H	—	—	—	—	—	—
JXW8530DS	—	—	—	—	—	—
JVR0436H	—	—	■	■	—	■
JXW8736DS / JXW8536DS	—	—	■	■	—	■
MICROWAVE / HOOD COMBOS						
JMV8208CS	—	—	—	—	—	—
JMV9196CS	—	—	—	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**

Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.

All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE DUAL-FUEL RANGE PAIRINGS

PROFESSIONAL-STYLE DUAL-FUEL RANGES		
MODELS	60,000 BTU TOTAL OR MORE	LESS THAN 60,000 BTU TOTAL
	30"	
	JDRP430H	JDRP430WP
VENTILATION STYLE		
ACCOLADE® DOWNDRAFT SYSTEM		
JXD7836BS	■	■
TELESCOPING DOWNDRAFT SYSTEMS		
JXD7030YS	—	—
JXD7036YS	—	—
PROFESSIONAL-STYLE HOODS		
JXU9130WP / JXU9130HP	■	■
JXW9030WP / JXW9030HP	■	■
JXW9036WP / JXW9036HP	■	■
JXU9136WP / JXU9136HP	■	■
JXW9048WP / JXW9048HP	■	■
CUSTOM HOOD LINERS*		
UXL5430BSS	■	■
JXL6536CSS	■	■
JXL6536HS	■	■
UXL6036YSS	■	■
UXL6048YSS	■	■
ISLAND-MOUNT PERIMETRIC HOODS		
JXI8536HS	—	■
JXI8936DS	■	■
ISLAND-MOUNT HOODS		
JXI8736DS / JXI8536DS	—	■
JXI8742DS	■	■
WALL-MOUNT PERIMETRIC HOODS		
JXW8530HS	■	■
JXW8536HS	■	■
JXW8936DS	■	■
WALL-MOUNT HOODS		
JVR0430H	■	■
JXW8530DS	■	■
JVR0436H	■	■
JXW8736DS / JXW8536DS	■	■
MICROWAVE / HOOD COMBOS		
JMV8208CS	■	■
JMV9196CS	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE NATURAL GAS AND LP RANGE PAIRINGS

PROFESSIONAL-STYLE NATURAL GAS AND LP RANGES					
MODELS	60,000 BTU TOTAL OR MORE				
	48"				
	JGRP548WP	JLRP548WP	JGRP548H	JGRP648H	JGRP748H
VENTILATION STYLE					
ACCOLADE® DOWNDRAFT SYSTEM					
JXD7836BS	—	—	—	—	—
TELESCOPING DOWNDRAFT SYSTEMS					
JXD7030YS	—	—	—	—	—
JXD7036YS	—	—	—	—	—
PROFESSIONAL-STYLE HOODS					
JXU9130WP / JXU9130HP	—	—	—	—	—
JXW9030WP / JXW9030HP	—	—	—	—	—
JXW9036WP / JXW9036HP	—	—	—	—	—
JXU9136WP / JXU9136HP	—	—	—	—	—
JXW9048WP / JXW9048HP	■	■	■	■	■
CUSTOM HOOD LINERS*					
UXL5430BSS	—	—	—	—	—
JXL6536CSS	—	—	—	—	—
JXL6536HS	—	—	—	—	—
UXL6036YSS	—	—	—	—	—
UXL6048YSS	■	—	—	■	■
ISLAND-MOUNT PERIMETRIC HOODS					
JXI8536HS	—	—	—	—	—
JXI8936DS	—	—	—	—	—
ISLAND-MOUNT HOODS					
JXI8736DS / JXI8536DS	—	—	—	—	—
JXI8742DS	—	—	—	—	—
WALL-MOUNT PERIMETRIC HOODS					
JXW8530HS	—	—	—	—	—
JXW8536HS	—	—	—	—	—
JXW8936DS	—	—	—	—	—
WALL-MOUNT HOODS					
JVR0430H	—	—	—	—	—
JXW8530DS	—	—	—	—	—
JVR0436H	—	—	—	—	—
JXW8736DS / JXW8536DS	—	—	—	—	—
MICROWAVE / HOOD COMBOS					
JMV8208CS	—	—	—	—	—
JMV9196CS	—	—	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**

Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.

All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE NATURAL GAS AND LP RANGE PAIRINGS

PROFESSIONAL-STYLE NATURAL GAS AND LP RANGES							
MODELS	60,000 BTU TOTAL OR MORE					LESS THAN 60,000 BTU TOTAL	
	36"						
	JGRP436WP	JLRP436WP	JGRP436H	JGRP536H	JGRP636H	JGRP536WP	JLRP536WP
VENTILATION STYLE							
ACCOLADE® DOWNDRAFT SYSTEM							
JXD7836BS	■	■	—	■	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS							
JXD7030YS	—	—	—	—	—	—	—
JXD7036YS	—	—	—	—	—	—	—
PROFESSIONAL-STYLE HOODS							
JXU9130WP / JXU9130HP	—	—	—	—	—	■	■
JXW9030WP / JXW9030HP	—	—	—	—	—	—	—
JXW9036WP / JXW9036HP	■	■	■	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■	■	■	■
CUSTOM HOOD LINERS*							
UXL5430BSS	—	—	—	—	—	—	—
JXL6536CSS	1,200 CFM only	1,200 CFM only	1,200 CFM only	■	■	■	■
JXL6536HS	1,200 CFM only	■	1,200 CFM only	■	■	■	■
UXL6036YSS	■	■	■	■	■	■	■
UXL6048YSS	■	■	—	■	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS							
JXI8536HS	—	—	—	—	—	■	■
JXI8936DS	—	—	—	■	—	■	■
ISLAND-MOUNT HOODS							
JXI8736DS / JXI8536DS	—	—	—	—	—	■	■
JXI8742DS	—	—	—	■	—	■	■
WALL-MOUNT PERIMETRIC HOODS							
JXW8530HS	—	—	—	—	—	—	—
JXW8536HS	—	—	—	■	—	■	■
JXW8936DS	—	—	—	■	—	■	■
WALL-MOUNT HOODS							
JVR0430H	—	—	—	—	—	—	—
JXW8530DS	—	—	—	—	—	—	—
JVR0436H	—	■	—	■	—	■	■
JXW8736DS / JXW8536DS	—	—	—	■	—	■	■
MICROWAVE / HOOD COMBOS							
JMV8208CS	—	—	—	—	—	—	—
JMV9196CS	—	—	—	—	—	—	—

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND PROFESSIONAL-STYLE NATURAL GAS AND LP RANGE PAIRINGS

PROFESSIONAL-STYLE NATURAL GAS AND LP RANGES			
MODELS	60,000 BTU TOTAL OR MORE	LESS THAN 60,000 BTU TOTAL	
	30"		
	JGRP430H	JGRP430WP	JLRP430WP
VENTILATION STYLE			
ACCOLADE® DOWNDRAFT SYSTEM			
JXD7836BS	■	■	■
TELESCOPING DOWNDRAFT SYSTEMS			
JXD7030YS	—	—	—
JXD7036YS	—	—	—
PROFESSIONAL-STYLE HOODS			
JXU9130WP / JXU9130HP	■	■	■
JXW9030WP / JXW9030HP	■	■	■
JXW9036WP / JXW9036HP	■	■	■
JXU9136WP / JXU9136HP	■	■	■
JXW9048WP / JXW9048HP	■	■	■
CUSTOM HOOD LINERS*			
UXL5430BSS	■	■	■
JXL6536CSS	■	■	■
JXL6536HS	■	■	■
UXL6036YSS	■	■	■
UXL6048YSS	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS			
JXI8536HS	—	■	■
JXI8936DS	■	■	■
ISLAND-MOUNT HOODS			
JXI8736DS / JXI8536DS	—	■	■
JXI8742DS	■	■	■
WALL-MOUNT PERIMETRIC HOODS			
JXW8530HS	■	■	■
JXW8536HS	■	■	■
JXW8936DS	■	■	■
WALL-MOUNT HOODS			
JVR0430H	■	■	■
JXW8530DS	■	■	■
JVR0436H	■	■	■
JXW8736DS / JXW8536DS	■	■	■
MICROWAVE / HOOD COMBOS			
JMV8208CS	■	■	■
JMV9196CS	■	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UXI1200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
All JennAir® appliances are appropriately UL, CUL or CSA approved.

VENTILATION AND 30" RANGE PAIRINGS

30" RANGES				
MODELS	DUAL-FUEL AND GAS LESS THAN 60,000 BTU TOTAL		INDUCTION	RADIANT
	JDS1450F	JGS1450F	JIS1450D	JES1450F
VENTILATION STYLE				
ACCOLADE® DOWNDRAFT SYSTEM				
JXD7836BS	—	—	—	—
TELESCOPING DOWNDRAFT SYSTEMS				
JXD7030YS	—	—	—	—
JXD7036YS	—	—	—	—
PROFESSIONAL-STYLE HOODS				
JXU9130WP / JXU9130HP	■	■	■	■
JXW9030WP / JXW9030HP	■	■	■	■
JXW9036WP / JXW9036HP	■	■	■	■
JXU9136WP / JXU9136HP	■	■	■	■
JXW9048WP / JXW9048HP	■	■	■	■
CUSTOM HOOD LINERS*				
UXL5430BSS	■	■	■	■
JXL6536CSS	■	■	■	■
JXL6536HS	■	■	■	■
UXL6048YSS	■	■	■	■
UXL6048YSS	■	■	■	■
ISLAND-MOUNT PERIMETRIC HOODS				
JXI8536HS	■	■	■	■
JXI8936DS	■	■	■	■
ISLAND-MOUNT HOODS				
JXI8736DS / JXI8536DS	■	■	■	■
JXI8742DS	■	■	■	■
WALL-MOUNT PERIMETRIC HOODS				
JXW8530HS	■	■	■	■
JXW8536HS	■	■	■	■
JXW8936DS	■	■	■	■
WALL-MOUNT HOODS				
JVR0430H	■	■	■	■
JXW8530DS	■	■	■	■
JVR0436H	■	■	■	■
JXW8736DS / JXW8536DS	■	■	■	■
MICROWAVE / HOOD COMBOS				
JMV8208CS	■	■	■	■
JMV9196CS	■	■	■	■

*Custom hood liners can be used with any of the following blower motors: UXB1200DYS, UXB0600DYS or UX11200DYS.

KEY	
■	Recommended
—	Not Recommended

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.**
 Refer to installation instructions packaged with product before selecting cabinetry, making cutouts or beginning installation.
 All JennAir® appliances are appropriately UL, CUL or CSA approved.