

APPEARANCE

Color Appearance	Black
Installation	EZ Mount

CAPACITY

Cooling BTUH (MAX)	5,050 Btu
Dehumidification (pts./hr.)	1.0

FEATURES

Airflow (cfm) Roomside (hi/low)	135/115
Airflow Direction	Top 2-Way
Area to Cool	100-150
Chassis Type	Fixed
Delay Timer	24-Hour On/Off Timer
Digital Time Temp Display	Yes
Fan Speed Selections	3 Cooling 3 Fan Only
Filter Type	Slide-Out
LCDI / AFCI power cord	Yes
Louver Style	2-Way
Mounting Type	EZ Mount
Plug Type	Parallel/NEMA 5-15

Power Cord Length	72" Minimum
Product Type	Window
Refrigerant Type	R32
Remote Control	Yes
Room Air Conditioner Features	Electronic Control Energy Saver On/Off Timer Remote Control
Rotary Compressor	Yes
Thermostat Type	Electronic
Unit Type	Cool Only
Vent/Air Exchange Exhaust	Top Air Discharge

POWER / RATINGS

CEER	11.0
Cooling - Rated Cooling Amps AHAM	4.1
Cooling - Watts	455
Sound Level (Low/High)	56/59 dbA
Voltage (MAX)	115 V

WARRANTY

Parts Warranty	First 90 days, Return to vendor 1-Year Replacement, Repair or Return
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Minimum Window Opening Height (in.)	13-3/8
Approximate Shipping Weight	41.4 lb
Depth to Louvers	6 1/4 in
Grille Depth	1 3/16 in
Min./Max. Window Opening Width (in.)	21-7/8/36
Minimum Window Opening Height (in.)	13-3/8
Net Weight	36.6 lb
Overall Depth	15 in
Overall Height	12 9/16 in
Overall Width	16 7/16 in