## Specs & Details

**Dimensions: 68 1/4 H x 24 W x 24 D** 

## **APPEARANCE**

Color Appearance	Gray	
<u>Installation</u>	Free-Standing	
CAPACITY		
Unit Capacity	50 Gallons	
ECONOMICAL / QUIET		
Operating Sound Level	41 dBA	
FEATURES		
Anode Rod	Sensing Magnesium	
Communication	<u>yes</u>	
Connected Capabilities	Amazon Alexa Google Home	
Control Type	Electronic  LED  Service Diagnostics Integrated	
Demand Response Capable	Yes	

Diagnostic Feedback	Filter, Lock, Standard Electric
Drain Valve	Left Side
Drain Valve Type	<u>Brass</u>
Electronic, Integrated Mixing Valve	Yes
Fuel Type	Electric
Operating Modes	Hybrid (Default Mode) Heat Pump High Demand/Boost Standard Electric
Product Type	Electric Heat Pump
Renewable Air Filter	Top of Unit
Sensor	Leak Sensor Included (SPLK10N01A)
Temp & Pressure Relief Valve	Right Side
Temperature Setting	100-140° F Range
Temperature Setting Factory Default	120° F
<u>UEF</u>	4.3

Water Connection Location	Тор	
WiFi Connect	<u>Built-In</u>	
POWER / RATINGS		
Electrical Circuit Required	240/208VAC 30A, 60Hz	
Electrical Consumption - Lower Element	3600W	
Electrical Consumption - Upper Element	<u>5500W</u>	
Energy Consumption (kWh/year)	1154	
First Hour Rate (FHR)	77 Gallons	
Hertz	<u>60</u>	
Operating Water Pressure	20-125 PSI (30-80 PSI recommended)	
WARRANTY		
Labor Warranty	Limited 1-year entire appliance	
Parts Warranty	Limited 10-year tank and parts	
WEIGHTS & DIMENSIONS		
Approximate Shipping Weight	<u>195 lb</u>	

Connection Sizes - Hot Water Outlet (MNPT)	3/4"
Connection Sizes - Water Inlet (MNPT)	3/4"
Net Weight	<u>179 lb</u>
Overall Depth	24 in
Overall Height	68 1/4 in
Overall Width	24 in
Product Diameter	24 in
Product Height (to top of unit)	66 1/2 in
Product Height (to top of water inlet/outlet connections)	68 1/4 in